

Index

- \emptyset , *see* set, empty
- $\mathbf{0}$, *see* zero, *see* origin
- 0-norm, 177, 180, 236, 273, 277, 282–285, 306, 643
 - Boolean, 236
- $\mathbf{1}$, 640
- 1-norm, 173–180, 205, 251, 283, 474, 643
 - ball, *see* ball
 - Boolean, 236
 - distance matrix, 204, 205, 396
 - gradient, 180, 193, 565
 - heuristic, 274, 275, 474
 - nonnegative, 177, 178, 277, 282–286
 - projection, 611
 - signed, 287, 288
- 2-norm, 42, 170, 171, 174, 175, 288, 530, 565, 643
 - ball, *see* ball
 - Boolean, 236
 - matrix, 58, 191, 251, 460, 470, 511, 518, 523, 536, 610, 643
 - constraint, 58
 - dual, 536, 644
 - inequality, 643
 - inverse, 536
 - Schur-form, 191, 536
- 3D, 638
- ∞ -norm, 174, 175, 179, 251, 643
 - ball, *see* ball
 - dual, 643
- k -largest norm, 179, 180, 276, 323, 643
 - gradient, 180
 - monotonicity, 180
- ℓ -norm, 173, 643
- \succ , 51, 81, 84, 91, 643
- \succeq , 51, 84, 91, 642
- \geq , 51, 643
- \in , 631
- \ni , 631
- \perp , 42, 138, 636
- $\langle \rangle$, 42, 43, 633
- ∂ , 35, 39, 479, 549, 637
- δ , 487–489, 495, 497, 505, 575, 633
- e , 48, 640
- ε , 631
- \exists , 631
- f , 632, *see* function
- ι , 369, 631
- I , 640
- J , 303, 631
- λ , 487, 495, 497, 505, 507, 634
- π , 178, 179, 274, 464–467, 483, 488, 634
- ψ , 242, 512, 634
- σ , 487, 488, 634
- $\sqrt{}$, 629, 630
- $\sqrt{}^{}$, 182, 629, 637
- \times , 40, 129, 619, 635
- V , 352, 524, 525
- $V_{\mathcal{N}}$, 349, 525
- ω , analog, 213
- $-\mathcal{A}-$, 33
- $Ax = b$, 41, 70, 175, 176, 180, 239, 240, 244, 248, 273, 276, 277, 334, 574–576
 - Boolean, 236
 - nonnegative, 71, 72, 177, 224, 277, 282–286
 - signed, 287, 288
 - wide, 576
- accuracy, *see* precision
- Achterberg, 286
- active set, 140, 246, 639
- adaptive, 303, 307, 309
- additivity, 84, 91, 497
- adjacency, 44
- adjoint
 - operator, 42, 43, 130, 449, 629, 634
 - self, 42, 353, 448, 487
- affine, 33, 183, *see also* function
 - \emptyset , 33
 - algebra, 33, 34, 50, 65, 76, 585
 - boundary, 33, 39
 - combination, 56, 58, 64, 118
 - dimension, 21, 33, 50, 380–383, 389, 449, 634
 - complementary, 449
 - cone, 111
 - hyperplane, 63
 - low, 362
 - minimization, 473, 481
 - Précis, 383
 - reduction, 414
 - spectral projection, 482
 - face, 76
 - hull, *see* hull
 - independence, *see* independence
 - interior, 34
 - intersection, 70, 585
 - map, *see* transformation
 - membership relation, 172
 - normal cone, 624
 - set, 33, 50
 - subset, 33, 58
 - hyperplane intersection, 70
 - independence, 64, 70, 71
 - nullspace basis span, 70
 - parallel, 33
 - projector, 577, 585
 - transformation, *see* transformation
- a.i, 63, 64, 112, 631
- algebra

- affine, 33, 34, 50, 65, 76, 585
- arg, 174, 276, 535, 536
- cone, 130
- face, 76
- function
 - linear, 169
 - support, 186
- fundamental theorem, 505
 - linear, 69
- interior, 34, 39, 143
- linear, 69, 487
- nullspace, 517
- optimization, 174, 535, 536
- projection, 585
- subspace, 32, 69, 517
- algebraic
 - complement, 77, 79, 122, 158, 580, 583, 631
 - projection on, 580, 606
 - multiplicity, 506
- Alizadeh, 240, 540
- alternating projection, *see* projection
- alternation, 407, 408, 483–485
- alternative, *see* theorem
- ambient, *see* vector, space
- anchor, 254, 255, 359, 365
- angle, 42, 60, 69, 642
 - acute, 60, 618
 - alternating projection, 618
 - brackets, 42, 43, 633
 - constraint, 352, 353, 355, 368
 - dihedral, 25, 69, 368, 412, 531, 642
 - EDM cone, 101
 - Gram definition, 350
 - halfspace, 60, 69
 - hyperplane, 69
 - inequality, 346, 411
 - matrix, 371
 - interpoint, 352
 - EDM definition, 350
 - obtuse, 60
 - positive semidefinite cone, 101
 - relative, 369
 - EDM definition, 371
 - right, 103, 124, 141, 142
 - torsion, 25, 368
- antidiagonal, 317, 374
- antireflection, 528, 529
- antisymmetry, 84, 116, 497, 640
- are, 632
- arg, 641
 - algebra, 174, 276, 535, 536
- artificial intelligence, 21
- asymmetry, 31
- audio, 28
 - compression, 332
 - echolocation, 20, 21
 - filter, 212–215, 217, 218
 - digital, 219
 - hearing, 608
 - compensation, 217, 218
 - metric, 218
 - op amp, 212, 213
 - sigma delta, 19, 20
 - signal dropout, 278–282
- Avis, 50
- axioms of the metric, 344
- axis of revolution, 102, 103, 141, 142, 531, 558
 - \mathcal{B} –, 175
- ball, *see also* hypersphere
 - 1-norm, 175–177
 - maximization, 175, 176
 - minimization, 175
 - nonnegative, 282, 283, 318
 - 2-norm, matrix, 58, 611
 - ellipsoidal, 31
 - boundary, 39
 - Euclidean, 34, 175, 176, 356, 609
 - boundary, 609
 - maximization, 576
 - smallest, 51
 - ∞ -norm, 174–176
 - norm, 173, 176
 - nuclear norm, 55–57, 537
 - packing, 356
 - polyhedral, 175, 176
 - spectral norm, 58, 611
- Barker & Carlson, 114
- barrier, *see* interior-point
- Barvinok, 31, 90, 110, 112, 114, 229, 230, 240, 241, 244–246, 353, 355, 356, 365, 620
- base, 77
 - station, 366
- basis, 48, 149, 635
 - discrete cosine transform, 278
 - nonorthogonal, 149, 586
 - projection on, 586
 - nullspace, 61, 70, 73, 74, 100, 135, 151, 160, 510, 582, 589, 590, 636
 - Schur-form, 502
 - vectorized, 74, 100
 - orthogonal, 48, 49, 73, 583
 - projection on, 586
 - overcomplete, 74, 635
 - pursuit, 301
 - range, 87, 510, 582, 586, 588, 635
 - complement, 151
 - EDM, 424
 - vectorized, 74
 - rowspace, 635
 - standard
 - matrix, 48, 49, 596, 621, 630
 - vector, 48, 120, 351, 640
- Bauschke, 617
- bees, 27, 356
- Bellman & Fan, 225
- Ben-Israel, 134, 232
- Bessel, 582
- bijection, 639, *see* bijective
- bijective, 42, 44, 46, 94, 145, 639
 - Gram-form, 377, 378
 - inner-product form, 379, 380
 - invertible, 44, 574
 - isometry, 45, 408
 - linear, 43, 45, 47, 49, 112
 - orthogonal, 45, 408, 467, 527, 544
- binary
 - distance matrix, 205
 - program, *see* program

- search, 209, 215, 216
 - binomial, *see* coefficient
 - biorthogonal
 - decomposition, 577, 583, 584
 - expansion, *see* expansion
 - biorthogonality, 147, 149
 - condition, 145, 506, 520
 - Birkhoff, 57
 - bisection method, 209, 215, 216
 - Biswas
 - Pratik, 256, 268, 368
 - Suddhendu, 517
 - blades, 127
 - Blu, 301
 - Blumenthal, 344
 - Boone, 591
 - Borg & Groenen, 25, 406
 - Borwein, 74, 84, 601, 617
 - bound
 - greatest
 - lower, 233, 547, 641
 - upper, 228, 353, 465
 - least
 - lower, 277, 362, 460, 465, 466
 - upper, 641
 - polyhedral, 420
 - boundary, 34, 35, 39, 53, 76, 637
 - $\mathbf{0}$, 82, 85
 - extreme, 88
 - of affine, 33, 39
 - of cone, 85, 143–145
 - EDM, 418, 420, 424, 430
 - membership, 138, 233
 - membership relation, 132, 138, 233
 - over PSD, 143
 - polyhedral, 145
 - PSD, 35, 91, 96, 107–109, 233, 434
 - ray, 85
 - of convex set, 39
 - of ellipsoid, 39, 288, 289
 - of halfspace, 60
 - of hypercube slice, 309
 - of open set, 35
 - of point, 39
 - of ray, 77
 - point, 78
 - relative, 34, 35, 39, 53, 76
- bounded, 51
- bowl, 193, 199, 557, 558
- box, 67, 610, *see also* hypercube
- Boyd, 471, 475
- bridge, 368, 389, 441, 460, 472
- Bronstein, 24
- Brooks, 591
- Bunt, 109, 601
-
- \mathcal{C} –, 31
- calculus
 - matrix, 549
 - of inequalities, 7
 - of variations, 135
- Carathéodory's theorem, 131, 596
- card, 642
- cardinality, 273, 348, 642, 643
- 1-norm heuristic, 274, 275, 474
- 1, 175, 176, 283, 284
- constraint, *see* constraint
- convex
 - envelope, *see* convex
 - iteration, *see* convex
 - geometry, 176, 178, 284
 - minimization, *see* minimization
 - monotonicity, 197
 - quasiconcavity, 180, 197, 273
 - reduction, *see* minimization
 - regularization, 279, 300
- Carlson, 114
- Cartesian
 - axes, 33, 52, 65, 80, 86, 121, 126, 275, 610
 - cone, *see* orthant
 - coordinates, 405, 639
 - product, 40, 230, 619, 635
 - cone, 81, 82, 129
 - function, 172
 - subspace, 275, 610
- cartography, 26, 404–406
 - stellar, 19, 369, 409
- Cauchy-Schwarz, 71, 616
- Cayley-Menger
 - determinant, 412, 414
 - form, 384, 398, 465, 482
- cellular, 367
 - telephone network, 366
- center
 - geometric, 351, 354, 372, 403, 635
 - gravity, 372
 - mass, 372
- central path, 230
- certificate, 168, 232, 233, 250, 317, 338
 - null, 132, 139
- Chabrilac & Crouzeix, 436
- chain rule, 554
 - two argument, 554
- Chu, 7
- c.i., 111–114, 631
- circle
 - antenna, 22
 - conic section, 102–104
 - Fantope, 54
 - Fermat point, 354
 - hyperplane, 62
 - intersection, 291, 293, 359, 360
 - Optimization, 535
 - projection on, 609
 - pyramid, 414
 - quarter, 76, 529
 - singular value decomposition, 510, 511
 - unit, 219
- clipping, 7, 180, 181, 458, 609, 610, 633
- closed, *see* set
- coefficient
 - binomial, 179, 286, 633
 - projection, 46, 433, 435, 500, 581, 594–597
 - nonorthogonal, 147, 593, 594
- cofactor, 413
- combinatorial, *see* problem
- compaction, 256, 268, 352, 355, 438, 475
- comparable, 84, 146
- complement

- algebraic, 77, 79, 122, 158, 580, 583, 631
 - projection on, 580, 606
 - projector, 581
- halfspace, 58
- orthogonal, 46, 69, 252, 580, 583, 632, 636
 - cone, dual, 122, 125, 126, 606
 - cone, normal, 624
 - projection on, 606
 - vector, 636
- relative, 74, 632
- complementarity, 158, 174, 274
 - linear, 161
 - maximal, 225, 230, 245
 - problem, 161
 - linear, 161
 - semidefinite, 225, 235, 250
 - strict, 235
- complementary
 - affine dimension, 449
 - dimension, 69
 - eigenvalues, 580
 - halfspace, 61
 - inertia, 399, 501, 502
 - slackness, 235
 - subspace, *see* complement
- complexity, *see* computational intensity
- compressed sensing, 173, 175–178, 180, 240, 276, 277, 287, 288, 301–303, 308, 332
 - formula, 277, 301
 - nonnegative, 177, 178, 277, 282–286
 - Procrustes, 292
 - prototypical, 282
- compression, signal, 332
- compressive sampling, *see* compressed sensing
- computational intensity
 - alternating projection, 623
 - O, 640
 - presolver, 286
 - rank reduction, 241
 - SDP, 225, 256, 268
- concave, 169, 170, 181
- condition
 - biorthogonality, 145, 506, 520
 - convexity, 198
 - first-order, 198, 202, 203, 205
 - second-order, 202, 207
 - Moore-Penrose, 573, 575
 - necessary, 632
 - optimality, *see* optimality
 - orthogonality, 581
 - orthonormality, 148, 149, 582
 - sufficient, 632
- cone, 58, 77, 81, 636, 642
 - \emptyset , 77
 - $\mathbf{0}$, 82, 85, *see* cone, origin
 - algebra, 130
 - blade, 127
 - boundary, *see* boundary
 - Cartesian, *see* orthant
 - product, 81, 82, 129
 - circular, 37, 81, 92, 102–105, 181, 453
 - axis, 102–104
 - Lorentz, *see* cone, Lorentz
 - right, 102
 - closed, *see* set, closed
 - convex, 58, 77, 81, 82, 87
 - subsets, 108
 - difference, 40, 130
 - dimension, 111
 - dual, 122–128, 136, 151–157, 162–164, 636
 - Cartesian product, 129
 - construction, 123, 124
 - convex, 122
 - dual, 129, 136
 - facet, 145, 165
 - formula, 136, 151–157, 163
 - full-dimensional, 130
 - halfspace-description, 122, 123, 136, 137
 - in subspace, 130, 132, 149, 152, 153
 - intersection, 130
 - of intersection, 130
 - of nonsimplicial, 162
 - origin, 125
 - orthogonal complement, 122, 125, 126, 606
 - pointed, 119, 130
 - product, Cartesian, 129
 - proper, 130
 - property, 128
 - self-, 132, 141, 142
 - spectral, 400, 401
 - unique, 122, 145
 - vertex-description, 151, 162–165
 - $\sqrt{\text{EDM}}$, 419, 421, 470
 - EDM, 348, 417–419, 437
 - angle, 101
 - axis, 101, 396, 419, 425, 426
 - boundary, 418, 420, 424, 430
 - circular, 102
 - construction, 425
 - convexity, 421
 - decomposition, 450
 - dual, 443, 444, 448, 451–454
 - equality, 26, 417, 445, 452
 - extreme direction, 427
 - face, 426, 428
 - interior, 418, 424
 - one-dimensional, 88, 420, 434, 443
 - origin, 420, 443
 - polar, 432, 450, 451, 481, 482
 - positive semidefinite, 428, 434, 445
 - face, 85–87
 - intersection, 138
 - pointed, 82
 - PSD, 116
 - smallest, 82, 138–140, 178, 286
 - smallest, EDM, 426
 - smallest, generators, 139, 140, 286
 - smallest, PSD, 97–100, 110, 433, 445, 452
 - smallest, subspace, 98
 - facet, 145, 165
 - full-dimensional, 77, 86, 119, 125, 128, 140, 141, 145, 150, 155
 - dual, 130
 - halfline, 77, 81, 82, 87, 88, 112, 119
 - halfspace, *see* halfspace
 - hull, 88, 101, 130
 - ice cream, *see* cone, circular
 - interior, *see* interior
 - intersection, 82
 - dual of, 130

- of dual, 130
- pointed, 82
- invariance, *see* invariance
- line, 82, 119, 130
- Lorentz, 81, 82, 85
 - circular, 81, 103, 105, 181
 - dual, 125, 141
 - extended, 81, 611
 - face, 116
 - polyhedral, 117, 125
- majorization, 490
- membership, *see* membership relation
- monotone, 155–157, 399, 484, 545, 610
 - nonnegative, 153–155, 400, 401, 405, 407, 408, 465, 466, 484, 490, 610
- negative, 146, 587
- nonconvex, 77–80
- nonpointed, 82, 87, 145
 - c.i., 111
 - dual, 130
 - EDM, dual, 443
 - monotone, 155, 156, 399
 - polyhedral, 86, 114, 115, 119, 128
 - spectral, 400, 401
- nonsimplicial, 112, 113, 162, 164, 165
- normal, 158–161, 172, 430, 602, 607, 613, 623–626, 636
 - affine, 624
 - elliptope, 625
 - membership relation, 158
 - origin, 158
 - orthant, 158
 - orthogonal complement, 624
 - translated, 613, 623, 624, 627
- one-dimensional, 77, 81, 82, 85, 112, 117, 119
 - EDM, 88, 420, 434, 443
 - PSD, 87
- origin, 58, 77, 81, 82, 85, 112, 117
 - dual, 125
 - EDM, 420, 443
 - normal, 158
 - pointed, 87, 119
- orthant, *see* orthant
- pointed, 82–87, 119, 131, 144, 147, 157
 - closed convex, 82–85, 114, 117
 - dual, 119, 130
 - face, 82
 - intersection, 82
 - nonconvex, 82
 - nullspace, 119
 - origin, 87, 119
 - polyhedral, 86, 119, 128, 144
- polar, 77, 122, 430, 481, 604–607, 610, 636
 - EDM, 432, 450, 451, 481, 482
 - positive semidefinite, 447, 451
- polyhedral, 58, 112–120
 - dual, 113, 130, 132, 136, 142, 144, 145
 - equilateral, 142
 - face, 115, *see* cone
 - facet, 145, 165
 - halfspace-description, 116
 - majorization, 484
 - nonpointed, 86, 114, 115, 119, 128
 - pointed, 86, 119, 128, 144
 - proper, 113
 - vertex-description, 58, 119, 132, 144
- positive semidefinite, 37, 90–92, 447
 - angle, 101
 - axis, 102
 - boundary, 35, 91, 96, 107–109, 233, 434
 - circular, 92, 102–105, 181
 - convex subsets, 108
 - dimension, 97
 - dual, 141, 153
 - EDM, 428, 434, 445
 - equality, 26, 417, 445
 - extreme direction, 87, 92, 101
 - face, *see* cone, face
 - hyperplane, supporting, 97, 98
 - inscription, 106
 - interior, 90, 232
 - inverse image, 93, 144, 188, 207, 211, 230
 - one-dimensional, 87
 - optimization, 229
 - polar, 447, 451
 - polyhedral, 105
 - rank, 97–100, 108, 226, 498
 - visualization, 227
- product, Cartesian, 81, 82, 129
- proper, 85
 - dual, 130
 - nonsimplicial, 162
 - polyhedral, 113
- quadratic, 81, 181
- ray, 77, 81, 82, 112, 119
 - EDM, 88
 - positive semidefinite, 87
- recession, 125
- rotated, 181
 - EDM, 453
 - Lorentz, 105, 181
 - orthant, 120, 142, 148
 - positive semidefinite, 105
- second-order, *see* cone, Lorentz
- selfdual, *see* cone, dual
- shrouded, 142, 454
- simplicial, 59, 112, 120, 121, 146, 610
 - decomposition, 162–164, 414
 - dual, 130, 146, 152
- spectral, 398–400, 464, 634, 637
 - dual, 400, 401
 - orthant, 466
- subspace, 81, 117, 119
- sum, 81, 130
- supporting hyperplane, *see* hyperplane
- tangent, 430
- transformation, *see* transformation
- two-dimensional, 112
- union, 77, 79, 130, 163
- unique, 90, 122, 418
- vertex, 82
 - none, 82, 86, 87, 114, 115, 119, 128
- congruence, 375, 631
 - transformation, *see* transformation
- conic
 - combination, 58, 77, 118
 - constraint, 160, 162, 181
 - coordinates, 122, 149, 151, 165–168
 - inversion, 166
 - hull, *see* hull

- independence, *see* independence
- problem, 127, 160, 162, 172, 224
 - dual, 127, 224
- section, 102
 - circular cone, 104
- conjugate
 - complex, 304, 490, 514, 527, 597, 629, 633
 - convex, 129, 131, 132, 136, 145, 152, 158
 - function, 474, 633
 - gradient, 307
- conservation of dimension, 69, 382, 513, 523
- constellation, 19, 21, 369
- constraint
 - active, *see* constraint, inequality
 - angle, 352, 353, 355, 368
 - binary, 236, 294, 328
 - cardinality, 273–277, 287, 288, 306
 - full-rank, 240
 - nonnegative, 177, 180, 273–277, 282–286
 - projection on PSD cone, 299
 - rank-1, 299
 - conic, 160, 162, 181
 - equality, 135, 162
 - affine, 223
 - Gram, 352, 353, 355, 368
 - inequality, 161, 223, 246
 - active, 140, 246, 639
 - log, 192
 - nonnegative, 57, 71, 72, 161, 174–178, 224, 288
 - norm, 190, 191, 288, 291, 293, 295, 512, 591, 592
 - Frobenius, 190, 191
 - spectral, 58
 - orthogonal, 337–340, 369, *see* Procrustes
 - orthonormal, 289, 338–340
 - permutation, *see* polyhedron, permutation
 - polynomial, 181, 183, 293, 294, 502
 - quadratic, 226, 293
 - convex, 191
 - nonconvex, 191
 - qualification, *see* Slater
 - quasiconvex, 223
 - rank, 249–253, 289, 293, 334, 335, 476, 482
 - cardinality, 299
 - eigenvalue decomposition, 610
 - indefinite, 331
 - projection on matrices, 610
 - projection on PSD cone, 194, 299, 464, 468, 538, 610
 - singular value decomposition, 610
 - wide, 331
 - Schur-form, 58
 - singular value, 58
 - sort, 407
 - tractable, 223
- content, 413, 642
- contour plot, 159, 200
- contraction, 58, 161, 307, 309
- control theory, 184, 485, 622
- convergence, 252, 408, 612
 - geometric, 614
 - measure, 238
- convex, 7, 19, 31, 169, 171, 639
 - combination, 31, 58, 118
 - envelope, 473, 474
 - bilinear, 210
 - cardinality, 239, 474
 - rank, 263, 365, 473, 474
 - form, 8, 223
 - geometry, 31
 - fundamental, 60, 65, 68, 343, 351
 - hull, *see* hull
 - iteration
 - accelerant, 340
 - cardinality, 273–278, 287
 - cardinality-1, 283, 284
 - convergence, 252
 - indefinite, 331
 - optimality, 250, 252, 253, 274, 338
 - optimality, local, 253, 275, 278, 287, 338
 - orthogonal matrix, 337, 369
 - orthonormal matrix, 289
 - rank, 249–253, 476
 - rank-1, 289, 335–338, 485
 - singular value decomposition, 338–340
 - stall, 253, 275, 278, 289, 295, 335
 - wide, 331
 - log-, 220
 - optimization, 7, 19, 171, 223, 359
 - art, 8, 240, 256, 486
 - fundamental, 223
 - solution set, 171, 335
 - polyhedron, *see* polyhedron
 - problem, *see* problem
 - program, *see* problem
 - quadratic, *see* function
 - strictly, *see* function, convex
- convexity, 169, 181
 - condition
 - first-order, 198, 202, 203, 205
 - second-order, 202, 207
 - eigenvalue, 389, 499, 538
 - K-, 170
 - log, 220
 - norm, 58, 170, 171, 173–176, 191, 197, 536, 643
 - of difference, 348
 - projector, 580, 583, 601, 602
 - property, 220
 - strict, *see* function, convex
- coordinates, conic, *see* conic
- cosine, 42, *see* trigonometry
- CPU, 638
- Crippen & Havel, 368
- Critchley, 378, 481
- criterion
 - EDM, 351, 352, 432, 436
 - dual, 448
 - Finsler, 436
 - metric *versus* matrix, 384
 - Schoenberg, 25, 26, 351, 352, 398, 418, 429, 432, 449, 452–455, 597
- Crouzeix, 436
- cubix, 550, 552, 639
- curvature, 202, 209
- curve fit
 - linear, 301, 340, 341, 591, 592
 - rational polynomial, 214, 218
- cvx, 267, 293, 329
- cylinder, 55

- D –, 351
- Dahl, 330
- Dantzig, 57, 224, 225
- d’Aspremont, 92, 299
- dB, 638
- DC, 638
- DCT, *see* discrete cosine transform
- decomposition, 639
 - biorthogonal, 577, 583, 584
 - completely PSD, 81, 253
 - dyad, 516
 - eigenvalue, 505, 506, 508, 511, 610
 - extreme direction, 102
 - factorization
 - nonnegative, 254
 - positive, 254
 - spectral, 268–270
 - Moreau, 161, 606
 - nullspace, 61, 576
 - orthonormal, 582–584
 - simplicial, 162–164, 414
 - singular value, *see* singular value
- deconvolution, 301
- definite, *see* matrix, positive
- Definitions, 629
- de Leeuw, 401, 461, 471, 477
- Delsarte, 356
- deprecation, 140, 284
- dereverberation, 20, 21
- derivative, 194, 637
 - directional, 202, 555–562
 - dimension, 557, 564
 - gradient, 558
 - second, 558
- discrete approximation, 564
- gradient, 562
- multivariate, 559
- partial, 549, 555, 637
- table, 564–571
- trace, 207, 568
- D’Errico, 505
- description
 - conversion, 122
 - halfspace-, 59–61
 - of affine, 70
 - of dual cone, 122, 123, 136, 137
 - of polyhedral cone, 116
 - of polyhedron, 116
 - of subspace, 69
 - vertex-, 58, 59, 87
 - of affine, 70
 - of dual cone, 151, 162–165
 - of halfspace, 114, 115
 - of hyperplane, 63
 - of polyhedral cone, 58, 119, 132, 144
 - of polyhedron, 53, 118
 - of subspace, 69, 118
 - projection on affine, 590
- determinant, 209, 410, 495, 504, 570
 - Cayley-Menger, 412, 414
 - inequality, 498
 - inverse, 209, 564
 - power, 564
 - product, 496
 - Kronecker, 489
- Deutsch, 602, 609, 611, 614
- Deza, 242, 432
- DFT, *see* discrete Fourier transform
- diag(), *see* δ
- diagonal, 487–489, 497, 575, 633
 - δ , 487–489, 495, 497, 505, 575, 633
 - binary, 578
 - commutative, 496
 - diagonalization, 508
 - dominance, 107
 - inequality, 498
 - nonnegative, 497
 - orthogonal, 509
 - positive semidefinite, 497
 - pseudoinverse, 575
 - values
 - eigen, 505
 - singular, 508
 - zero, 512, 575
- diagonalizable, 148, 505–507
 - rank, 495, 506
 - simultaneously, 98, 235, 495, 496, 515
- diagonalization, 37, 74, 505, 506, 508, 610
 - diagonal matrix, 508
 - expansion by, 148
 - symmetric, 507
- diamond, 176, 374
- difference, 638
 - cone, 40, 130
 - of functions, 180, 191, 276
 - positive semidefinite, 110
 - set, 40, 130, 632
 - vector, 40, 130, 632
- differentiable, *see* function
- differential, 637
 - discrete, 638
 - Fréchet, 556
 - Gâteaux, 556
 - partial, 637
- differentiation, numerical, 564
- diffusion, 438
- dilation, 406
- dimension, 33, 642
 - affine, *see* affine
 - complementary, 69
 - conservation, 69, 382, 513, 523
 - domain, 45
 - embedding, 50
 - Euclidean, 635
 - face, 75
 - positive semidefinite cone, 97, 98
 - invariance, 45
 - nullspace, 69
 - Précis, 383
 - range, 45
 - rank, 69, 111, 382, 383, 642
- Dirac, 301, 517
- direction, 77, 86, 555
 - extreme, *see* extreme
 - matrix, 250–253, 263, 300, 357, 477
 - analytical, 251
 - existence, 250
 - Identity, 252, 332
 - interpretation, 250

- Newton, 194
- projection, 581, 583, 593, 594
 - nonorthogonal, 579, 580, 588, 593
 - parallel, 584, 585, 587, 588
- steepest descent, 194, 557
- vector, 250–253, 273–276
 - analytical, 275
 - existence, 250
 - Identity, 252, 332
 - interpretation, 274, 275, 474
 - optimality condition, 250, 274
 - unity, 274
- disc, 53
- discrete
 - cosine transform, 278, 303
 - derivative approximation, 564
 - differential, 638
 - Fourier transform, 45, 303, 308, 630, 638
 - inverse, 303, 305
 - Laplace, 219
 - time Fourier transform, 219
- discretization, 136, 170, 202, 452
- dissimilarity, 402
- dist, 601, 616, 642
- distance, 348, 615, 616
 - 1-norm, 175, 176, 204, 205, 396
 - absolute, 344, 396
 - binary, 205
 - comparative, *see* distance, ordinal
 - Euclidean, 348, 369, 370
 - geometry, 19, 366
 - matrix, *see* EDM
 - maximization, 603
 - minimization, 581, 598
 - ordinal, 404–409
 - origin to affine, 63, 576, 589
 - 1-norm, 175, 176
 - nonnegative, 177, 178, 283
 - property, 344
 - self, 344
 - square, 348, 350
 - taxicab, *see* distance, 1-norm
- distortion, 212, 302, 332
 - spatial, 47
- Dokmanić, 20
- Donoho, 332
- doublet, *see* matrix
- dropout problem, 278–282
- dual
 - affine dimension, 449
 - dual, 129, 132, 136, 234, 237, 298
 - feasible set, 230
 - function, 127, 129, 233, 298
 - norm, 125, 536, 644
 - problem, 125–128, 167, 178, 179, 224, 233, 236, 443
 - strong, 128, 129, 234, 298, 353, 544
 - via primal, 125, 127–129, 236
 - projection
 - on cone, 77, 122, 451, 481, 604–607
 - on convex set, 601, 603, 604
 - on EDM cone, 451, 481, 482
 - on subspace, 605, 606
 - variable, 125, 161, 162, 167, 633
- duality, 127, 353
 - gap, 128, 129, 231, 234, 235, 298
 - strong, 127–129, 167, 184, 235
 - weak, 127, 233
- Duensing, 303
- Dulá, 591
- dvec, 49, 407, 642
- D:Wave, 325–329
- dyad, *see* matrix
- Dykstra, 614, 623
 - algorithm, 612, 622, 623, 627
- \mathcal{E} –, 390
- earO, 217, 218
- Ebert, 573
- Eckart & Young, 27, 462, 464, 486, 538
- edge, 75
- $\sqrt{\text{EDM}}$, 421
- EDM, 26, 343, 348, 455, 638
 - closest, 463
 - composition, 394–396, 419–421
 - construction, 423
 - criterion, 351, 352, 432, 436
 - dual, 448
 - definition, 348, 421
 - Gram-form, 350, 430
 - inner-product form, 369
 - interpoint angle, 350
 - relative-angle form, 371
 - dual, 448, 449
 - eigenvalue, 383, 397, 406, 422
 - exponential entry, 394–396, 436
 - graph, 346, 356, 360, 362, 363
 - indefinite, 397
 - invariance, *see* invariance
 - membership relation, 452
 - nonnegative, 448
 - projection, 435
 - range, 424
 - rank, 383, 424
 - subgraph, 438, 439
 - test, numerical, 346, 351, 462
 - unique, 393, 403, 464
- eigen, 505
 - decomposition, 505, 506, 508, 511
 - Procrustes, 543
 - projection, 610
 - rank constrained, 610
 - unique, 506
 - matrix, 91, 148, 506
 - spectrum, 398
 - ordered, 399, 464–466
 - unordered, 400
 - value, 493, 505, 536, 538
 - λ , 487, 495, 497, 505, 507, 634
 - convexity, 389, 499, 538
 - distinct, 505, 506
 - doublet, 521
 - dyad, 518
 - EDM, 383, 397, 406, 422
 - Identity, 494, 538
 - inequality, 495, 543
 - interlaced, 388, 397, 499, 532
 - intertwined, *see* eigenvalue, interlaced
 - inverse, 506, 508, 512

- largest, 389, 499, 538–540
- left, 505
- maximum, *see* eigenvalue, largest
- minimum, *see* eigenvalue, smallest
- of sum, 499
- ordering, 498, 507
- positive semidefinite, 494, 498, 511
- precision, 505
- principal, 299, 507
- product, 495–497, 511, 541
- projection, 578, 580, 583, 594–596
- rank, 495, 506, 507
- real, 490, 505, 507
- repeated, 109, 505, 506
- Schur, 503
- singular value, 508, 511, 512
- smallest, 389, 395, 443, 499, 538, 539
- sum of, 44, 487, 495, 539, 540
- symmetric matrix, 507, 512
- transpose, 505
- unique, 102, 505
- zero, 513, 518
- vector, 505, 538, 539
 - distinct, 506
 - EDM, 422
 - left, 505, 506
 - l.i.*, 505, 506
 - normal matrix, 507
 - orthogonal, 506, 507
 - principal, 299, 300, 507, 592
 - real, 505, 507, 514
 - singular, 511, 592
 - symmetric matrix, 507
 - unique, 506
- elbow, 459, 460
- element, 639
- El Ghaoui, 299
- ellipsoid, 31, 36–39, 288
 - ball, 31
 - boundary, 39, 288, 289
 - invariance, 42
 - singular value decomposition, 510, 511
- elliptope, 237, 239, 352, 359, 390, 391, 396, 430, 431
 - smooth, 390
 - vertex, 238, 390, 391
- embedding, 380
 - dimension, 50
- empty
 - interior, 34
 - set, *see* set
- entanglement, 326
- entry, 33, 170, 629, 633, 634, 637, 639
 - largest, 179
 - smallest, 178
 - zero, 512
- epigraph, 169, 171, 186, 206, 220
 - form, 190, 191, 480, 592
 - intersection, 185, 186, 191, 220
 - nonconvex, 186, 201
- equal loudness, 217, 218
- equality
 - constraint, 135, 162
 - affine, 223
 - EDM cone, 26, 417, 445
 - dual, 452
 - PSD cone, 26, 417, 445
- equation, normal, 575, 576
- equivalent, 639, *see* problem
- Ericson, 358
- errata, 164, 184, 254, 378, 540, 608
- Eternity II, 309–324
 - extreme point, 318, 319
 - hypersphere, 323
 - maximization, 323
 - quantum, 328, 329
- Euclidean
 - ball, 34, 175, 176, 356, 609
 - boundary, 609
 - maximization, 576
 - smallest, 51
 - distance, 343, 348
 - geometry, 19, 360, 366, 597
 - matrix, *see* EDM
 - metric property, 344, 385
 - fifth, 345–347, 409–411, 415
 - norm, *see* 2-norm
 - projection, 108
 - space, 31, 32, 343, 635
 - ambient, 32, 443, 453
- exclusive
 - mutually, 134
- expansion, 149, 639
 - biorthogonal, 122, 131, 145, 148, 149, 578, 584
 - EDM, 427
 - projection, 583, 587, 588
 - unique, 147–150, 428, 520, 583, 587, 588
 - implied by diagonalization, 148
 - orthogonal, 48, 122, 148, 582–584
 - w.r.t orthant, 149
- exponent, *see* function, fractional
- exposed, 74, 75
 - closed, 428
 - direction, 88
 - extreme, 78, 82, 115
 - face, 75, 116
 - point, 75, 78, 88
 - density, 76
- extrapolation
 - direction vector, 340
 - Richardson, 564
- extreme, 74
 - boundary, 88
 - direction, 72, 86–89
 - conic independence, 114
 - distinct, 86
 - dual cone, 113, 124, 145, 149–155, 163, 164
 - dual monotone cone, 155
 - EDM cone, 88, 427, 448
 - monotone nonnegative cone, 154, 155
 - none, 82, 86, 87, 114, 115, 119, 128
 - of $\mathbf{0}$, 87
 - one-dimensional, 87, 88
 - orthant, 72
 - PSD cone, 87, 92, 101
 - shared, 165
 - supporting hyperplane, 145
 - unique, 86
 - exposed, 78, 82, 115
 - point, 57, 74–76, 78, 229
 - cone, 82, 110

- Fantope, 53, 54, 251
- feasible set, 250
- hypercube slice, 275
- ray, 86, 430
- sum, 87
- transitivity, 76
- \mathcal{F} –, 76
- f , 632, *see* function
- face, 36, 75
 - \emptyset , 75
 - affine, 76
 - algebra, 76
 - cone, *see* cone
 - exposed, *see* exposed
 - halfspace, 75
 - hyperplane, 75
 - intersection, 138
 - isomorphic, 97, 353, 426
 - of face, 76
 - polyhedron, 115, 116
 - smallest, 76, 97–100, 138–140, 630, *see* cone
 - subspace, 75
 - transitivity, 76
- facet, 75, 145, 165
- facial recognition, 24
- factorial, 633
- factorization, *see* decomposition
- Fan, 53, 225, 250, 263, 495, 536, 539, 543
- Fantope, 53, 54, 102, 189, 250, 251
 - extreme point, 53, 54, 251
 - Linear Program analogue, 274
- Farkas' lemma, 131–134
 - positive definite, 232
 - not, 233
 - positive semidefinite, 231
- fax, 205
- Fazel, 475
- feasibility, *see* problem
- feasible, *see* solution
- Fejér, 141, 197, 617, 619
- Fenchel, 23, 169, 474
- Fermat point, 354
- Ferreira, 611
- Feynman, 326
- Fiacco & McCormick, 225
- fifth metric property, *see* Euclidean
- filter
 - bank, 608
 - design, 486
 - arbitrary magnitude, 212, 218, 219
 - implementation, 269
- find, 639, 641
- finitely generated, 116, 117
- Finsler, 436
- floor, 643
- flowgraph, 213
- Forsgren, Gill, & Wright, 223
- Fourier transfer function, 268
- Fourier transform, 268, 269
 - discrete, 45, 303, 308, 630, 638
 - inverse, 303, 305
 - time, 219
- fast, *see* discrete
- frame, 114
- Frankel, 699
- Fréchet differential, 556
- Frisch, 225
- Frobenius, 43, *see* norm
- Fs, 219, 638
- Fukuda, 50
- full, 34
 - dimensional, 34, 85
 - cone, 77, 86, 119, 125, 128, 140, 141, 145, 150, 155
 - cone, dual, 130
 - rank, 70, 240
- function, 169, 632, *see* operator *and* transformation
 - affine, 40, 42, 172, 183–185, 195, 196
 - inverse, 40, 42, 184
 - monotonic, 197
 - supremum, 185, 186, 536
 - transformation, 197, 220
 - bilinear, 210
 - biquadratic, 210
 - composition, 181, 197, 220, 221, 554
 - affine, 197, 220
 - concave, 169, 170, 181, 475, 538
 - conjugate, 474, 633
 - continuity, 170, 186, 203, 220
 - convex, 169, 186, 349, 371
 - difference, 180, 191, 276
 - invariance, 170, 186, 220
 - nonlinear, 170, 185
 - simultaneously, 188, 189, 206
 - strictly, 170, 171, 197–199, 202, 207, 208, 471, 475, 479, 557, 558
 - sum, 171, 197, 220, 221
 - supremum, 185, 191, 220
 - differentiable, 170, 185, 198, 200, 207
 - non, 170, 175, 194, 220, 307, 308
 - distance
 - 1-norm, 204, 205
 - binary, 205
 - Euclidean, 348, 369, 370
 - dual, *see* dual
 - exponential, 198, 210, 561, *see also* matrix
 - fractional, 188, 198, 203, 206
 - exponent, 182, 571
 - inverted, 181, 564, 571
 - maximization, 471
 - minimization, 502
 - power, 182, 571
 - projector, 188
 - pseudo, 187
 - root, 181, 630
 - square root, 182, 471, 498, 508, 630
 - inverse, 40, 42, 184
 - inverted, *see* function, fractional
 - invertible, 42, 44, 45
 - Lagrangian, *see* Lagrangian
 - linear, *see* operator
 - log, *see* log
 - matrix, 169, 171, 203, 204
 - chain rule, 554
 - convexity, 205, 207
 - epigraph, 206
 - gradient, 551
 - line theorem, 207

- product, 552
- monotonic, 169, 178, 179, 196, 219
 - affine, 197
 - bilinear, 210
 - biquadratic, 210
 - cardinality, 197
 - composition, 197, 220, 221
 - norm, 174, 180, 276
 - quasilinear, 210, 220
 - rank, 197, 473
 - strictly, 196, 211
- multidimensional, 169, 203, 204, 640
 - affine, 172, 183, 184
 - convexity, 205, 207
 - gradient, 193
 - line theorem, 207
 - monotonic, 196
 - quasiconvex, 210
- negative, 181, 535
- nonconvex, 186, 203, 460, 477
- norm, 173, *see* norm
- objective, *see* objective
- odd, 242, 512
- presorting, 178, 179, 274, 464–467, 483, 488, 634
- product, 188, 198, 210, 211, 219
- projection, *see* projector
- quadratic, 203, 208, 489, 502, 597
 - binary, 328, 329
 - convex, 171, 191, 349, 370, 372, 546
 - convex, strictly, 171, 193, 199, 202, 207, 208, 479, 557, 558
 - distance, 348
 - maximization, *see* maximization
 - minimization, *see* minimization
 - nonconvex, 293, 546
 - nonnegative, 502
- quasiconcave, 209–211, 219, 220, 242
 - cardinality, 180, 197, 273
 - not, 220
 - rank, 107
 - strictly, 209
- quasiconvex, 108, 186, 209, 210, 220, 370
 - constraint, 223
 - continuity, 209, 220
 - not, 220
 - strictly, 209
- quasilinear, 203, 210, 220, 512
- quotient, *see* function, fractional
- ratio, *see* function, fractional
- signum, 210, 242, 307, 512, 564, 565, 571, 634, 641
- smooth, 170, 175, 308
- sorting, 178, 179, 274, 464–467, 483, 488, 634
- square root, *see* function, fractional
- sstress, 460, 461
- step, 634
 - matrix, 242
 - vector, 512
- strain, 461
- stress, 203, 460, 461, 477
- support, 67, 185, 602
 - algebra, 186
- transfer, 212, 213, 219, 268–270
- trivial, 171
- vector, 169, 171, 634
 - convexity, 202
 - epigraph, 186
 - gradient, 549, 551
 - line theorem, 207
 - monotonicity, 197
 - sublevel, 187
- fundamental
 - convex
 - geometry, 60, 65, 68, 343, 351
 - optimization, 223
 - metric property, 344, 385
 - semidefiniteness test, 141, 490, 597
 - subspace, 41, 69, 518, 521, 522, 574, 581
 - projector, 581
- \mathcal{G} –, 137
- Gaffke & Mathar, 444
- Gale, 362
- Galtier, 182
- gap
 - bisection, 215
 - duality, 128, 129, 231, 234, 235, 298
 - quantum, 328–330
 - time, 278–282
 - trace–rank, 473
- Gâteaux differential, 556
- Gauss, 7, 358
- generators, 50, 58, 87, 118, 137, 630
 - c.i, 114
 - face, smallest, 139, 140, 286
 - finite, 116, 117
 - hull, 118
 - affine, 50, 63, 590
 - conic, 58, 114, 115
 - convex, 53
 - l.i, 114
 - minimal set, 53, 63, 114, 322, 635
 - affine, 590
 - extreme, 87, 145
 - halfspace, 114, 115
 - hyperplane, 114
 - orthant, 170
 - PSD cone, 92, 141, 204
 - unique, *see* unique
- geometric
 - center, 351, 354, 372, 403, 635
 - operator, 378
 - subspace, *see* subspace
 - Hahn-Banach theorem, 60, 65, 68
 - mean, 571
 - multiplicity, 506
- Gersgorin, 105
- Gill, 223
- gimbal, 530, 531
- global
 - optimality, *see* optimality
 - positioning system, 21, 255
- Glossary, 629
- Glunt, 479, 623
- Golub, 491
- Gordan, 134
- Gould, 225

- Gower, 343, 389
 GPS, *see* global
 gradient, 135, 185, 193, 194, 198, 199, 549, 557, 563
 affine, 184, 195, 196
 composition, 554
 conjugate, 307
 derivative, 562
 directional, 558
 dimension, 193
 first-order, 562
 image, 306
 monotonic, 197
 norm, 180, 193, 565, 567, 581, 589, 590, 598, 601
 normal, 159, 194, 199
 of nonlinear f , 185
 product, 552
 second-order, 563
 sparsity, 302
 table, 564–571
 zero, 135, 194, 598
- Gram
 -form
 bijective, 377, 378
 EDM definition, 350, 430
 injective, 373, 377, 378
 invariance, 373
 inversion, 378
 problem, *see* problem, proximity
 matrix, *see* matrix
- Gregory, 356
 Groenen, 25, 406
 Gross, 27
- \mathcal{H} –, 60
- Hadamard
 product, 43, 470, 487–489, 554, 631
 of vectors, 554
 positive semidefinite, 497
 transpose, 489
 quotient, 564, 571, 631
 square root, 630
- Hahn-Banach, 60, 65, 68
 halfline, 77, 81, 82, 87, 88, 112, 119, 210
 halfplane, 125, 127, 212, 269
 halfspace, 58–61, 114, 115, 119, 128
 \mathcal{H}_+ , 60, 637
 \mathcal{H}_- , 60, 637
 angle, 60, 69
 boundary, 60
 complement, 58
 -description, *see* description
 interior, 39
 intersection, 61, 129, 141
 cone, 116
 dual cone, 122
 polyhedra, 116
 polarity, 60
 vertex-description of, *see* description
- halftone, 205
 Han, 622
 Hardy-Littlewood-Pólya, 465
 Havel, 368
 Hayden & Wells, 190, 417, 422, 428, 478, 479
- hearing
 aid, 608
 compensation, 217, 218
 test, 217
- Herbst, 511
 Hessian, 193, 549
 hexagon, 355
 Hindi, 475
 Hiriart-Urruty, 67, 547
 hollow, 630, *see* matrix & subspace
 homogeneity
 convexity, 220
 EDM, 349
 norm, 173
 partial order, 84
 projection, 606
- homotopy, 274
 honeycomb, 27
 Hong, 479
 Horn & Johnson, 203, 491–493
 horn, flared, 81
 Householder, 523
 Hu, 321, 322
 Huang
 Feng, 303
 Hong-Xuan, 362
- hull, 50
 affine, 33, 50–53, 65, 118, 642
 cone, 51, 111, 125, 138, 149–151, 153, 580
 cone, EDM, 378, 443
 cone, positive semidefinite, 51
 correlation matrices rank-1, 51
 empty set, 51
 point, 34, 51
 unique, 50
 conic, 52, 58, 88, 118, 145
 empty set, 58
 convex, 50–52, 88, 118, 344
 cardinality-1 vectors, 176, 283
 cone, 88, 101, 130
 dyads, 55, 56
 empty set, 53
 extreme directions, 87
 orthogonal matrices, 58
 orthonormal matrices, 58
 outer product, 53–57, 250, 539
 permutation matrices, 57
 positive semidefinite cone, 101
 projection matrices, 53, 250, 539
 rank-1 matrices, 55, 56
 rank-1 symmetric matrices, 53, 101
 unique, 51
- Huo, 275
 hyperboloid, 516
 hyperbox, 67, 610
 hypercube, 44, 67, 176, 609
 nonnegative, 239
 slice, nonnegative, 275, 309
 hyperdimensional, 412, 553, 554
 hyperdisc, 558
 hyperparallelepiped, 118
 hyperplane, 58, 60–63, 195
 angle, 69
 hypersphere radius, 62
 independence, 70

- intersection, 70, 138
 - cone, 116
 - convex set, 65, 437
 - polyhedra, 116
- movement, 62, 72, 73, 178
- normal, 61
- nullspace, 60, 61
- parallel, 33
- separating, 68, 130, 132, 133
 - strictly, 68
- supporting, 65–67, 159, 198–200
 - cone, 122, 123, 138, 145
 - cone, EDM, 443
 - cone, PSD, 97, 98
 - exposed face, 75
 - polarity, 67
 - strictly, 67, 82, 198, 199
 - trivially, 65, 140
 - unique, 198, 199
- tangent, 67, 199–201
- vertex-description of, *see* description
- hypersphere, 352, 391, *see also* Euclidean ball
 - boundary, 53, 262
 - circum-, 323, 383
 - Eternity II, 323
 - intersection, 291, 293
 - packing, 356
 - radius, 62
- hypograph, 187, 192, 220, 571
- Hz, 638
 - I –, 640
- idempotent, *see* matrix
- Identity, *see* matrix
- iff, 641
- image, 40, 41
 - affine, 40
 - inverse, 40, 41, 143
 - affine, 40
 - cone, 93, 130, 144, 188, 207, 211, 230
 - magnetic resonance, 302
- in, 638
- inactive, *see* active set
- independence
 - affine, 59, 63, 64, 112, 115
 - preservation, 64
 - subset, 64, 70, 71
 - conic, 22, 59, 111–115, 240, 322
 - versus* dimension, 111
 - dual cone, 153
 - extreme direction, 114
 - preservation, 112
 - rows, 153, 157, 160, 400, 401
 - unique, 111, 115, 150, 151
 - hyperplane, 70
 - linear, 32, 59, 111, 112, 114, 240, 284, 520
 - matrix, 496
 - of subspace, 32, 631
 - preservation, 32
- inequality
 - active, *see* constraint, inequality
 - angle, 346, 411
 - matrix, 371
 - Bessel, 582
 - calculus, 7
 - Cauchy-Schwarz, 71, 616
 - constraint, 161, 223, 246
 - determinant, 498
 - diagonal, 498
 - eigenvalue, 495, 543
 - generalized, 84, 122, 131, 642
 - dual, 131
 - dual PSD, 141
 - partial order, 84, 91
 - Hardy-Littlewood-Pólya, 465
 - Identity, 494, 538
 - inverse, 181, 498
 - Jensen, 198
 - linear, 20, 31, 60, 132
 - matrix, 141, 143, 144, 230, 233
 - log, 192, 571
 - Löwner, 91, 494, 497, 498
 - inverse, 498
 - norm, 173, 643
 - triangle, 173
 - polynomial, 183, 502
 - rank, 498
 - semidefinite, *see* Löwner
 - singular value, 545
 - spectral, 398
 - sum, 147
 - trace, 497, 498
 - triangle, 344, 345, 370, 385–389, 394, 409–413, 420, 421
 - norm, 173
 - strict, 387
 - unique, 410
 - vector, 173
 - variation, 135
 - volume, 413
- inertia, 397, 501
 - complementary, 399, 501, 502
 - preservation, 397, 496
 - Sylvester's law, 496
- infimum, 535, 641, *see* minimum
 - of concave functions, 220
 - of quasiconcave functions, 221
- inflection, 202
- injection, 639, *see* injective
- injective, 44, 45, 85, 166, 375, 638, 639
 - Gram-form, 373, 377, 378
 - inner-product form, 379, 380
- invertible, 44, 573, 574
 - non, 46
 - nullspace, 44
- innovation, rate, 301
- interior, 34, 35, 39, 76, 641
 - $\mathbf{0}$, 82, 85
 - algebra, 34, 39, 143
 - empty, 34
 - of affine, 34
 - of cone, 143–145
 - EDM, 418, 424
 - membership relation, 131, 152
 - polyhedral, 145
 - PSD, 90, 232
 - of halfspace, 39
 - of point, 34, 35
 - of ray, 77

- point, 34
- antisymmetry, 116
- barrier, 8, 226, 356
- complementarity, 225
- dimension, 311, 358, 478
- method, 223, 238, 268
- rank, 451
- solver intensity, 225, 457
- relative, 34, 39, 76
- transformation, 143
- intersection, 39, *see also* tangent
 - affine, 585
 - cone, 82
 - dual of, 130
 - of dual, 130
 - pointed, 82
 - epigraph, 185, 186, 191, 220
 - face, 138
 - halfspace, 61, 129, 141
 - cone, 116
 - dual cone, 122
 - polyhedra, 116
 - hyperplane, 70, 138
 - cone, 116
 - convex set, 65, 437
 - polyhedra, 116
 - line
 - with boundary, 36
 - with circle, 291, 293
 - nullspace, 73
 - planes, 71
 - positive semidefinite cone
 - affine, 110, 233
 - geometric center subspace, 515
 - line, 361
 - subspace, 73
- invariance
 - closure, 34, 116, 143
 - cone, 81, 112, 130, 418
 - pointed, 82, 85, 119
 - convexity, 39, 40
 - dimension, 45
 - EDM, 372
 - Gram-form, 373
 - inner-product form, 375
 - reflection, 373
 - rotation, 373
 - scaling, 349
 - translation, 372, 373, 377, 392
 - ellipsoid, 42
 - function, convex, 170, 186, 220
 - isometric, 21, 362, 372, 375, 402, 403
 - optimization, 174, 184, 250, 535, 536, 639
 - orthogonal, 45, 408, 460, 527, 532
 - rotation, 102
 - scaling, 220, 535
 - set, 396
 - translation
 - function, 170, 220, 535
 - subspace, 441, 599, 636
- inverse
 - additive, 40
 - determinant, 209, 564
 - image, *see* image
 - matrix, *see* matrix
 - minimization, *see* function, fractional
 - nullspace, 41, 44, 574
 - pseudo, *see* matrix, pseudoinverse
- inversion
 - conic coordinates, 166
 - Gram-form, 378
- invertible
 - injective, 44, 573, 574
 - operator, 42, 44, 45, 143
- is, 632
- isedm(), 346, 351, 462
- Ising, 326, 327
- isometry, 45, 408, 461
- isomorphic, 43, 46, 48, 631
 - face, 97, 353, 426
 - isometrically, 36, 44, 48, 94, 141
 - non, 515
- isomorphism, 43, 143, 144, 378, 380, 408, 418
 - isometric, 44, 45, 47, 49, 408
 - symmetric hollow subspace, 49
 - symmetric matrix subspace, 47
 - projection, 44
- isotonic, 406
- iterate, 612, 620–622
- iteration
 - alternating projection, *see* projection
 - convex, *see* convex
- j –, 303
- Jacobian, 193
- Jensen, 198
- Johnson, 203, 491–493
- Jordan, 299
- \mathcal{K} –, 77
- Kaczmarz, 585
- Karhunen-Loève transform, 402
- Karmarkar, 225
- kernel, *see* nullspace
- Kimmel, 24
- Kirschhoffer, 309
- kissing, 129, 175, 176, 282–284, 576
 - number, 356
 - problem, 356
- KKT conditions, 161, 162, 463, 547
- Klanfer, 352
- Klee, 87
- Korkine, 358
- Krein-Rutman, 130
- Kreyszig, 344, 385
- Kronecker product, *see* product
- Kuhn, 354
- \mathcal{L} –, 186
- Lagrange, 127, 237
 - multiplier, 135, 546
 - sign, 167
- Lagrangian, 167, 353, 547, 630
 - MAX CUT, 298
 - origins, 172
- Lanckriet, 299
- Lanczos, 537

- Laplace
 - discrete, 219
 - transfer function, 212, 213, 269, 270
 - zero implementation, 212
 - transform, 212, 213, 269, 270
- Lasserre, 232
- Lasso, 301
- lattice, 257–260, 263–265
 - regular, 27, 257
- Laurent, 241, 242, 394, 432, 436, 621, 622
 - vertex, 390
- Lauterbur, 302
- Law, 302, 553
- least
 - 1-norm, 175, 176, 236, 282
 - nonnegative, 282, 283
 - energy, 352, 475
 - norm, 176, 237, 576, 577
 - squares, 7, 255, 256, 576
- Legendre, 7, 474
- Lemaréchal, 19, 67
- Lewis, 74, 84, 116, 601
- li, 32, 64, 111, 114, 505, 520, 631
- Liang, 362
- limit, 641
- line, 32, 33, 51, 195, 196, 207
 - cone, 81
 - fit, 301, 340, 341, 591, 592
 - tangent, 37, 38, 362
- linear
 - algebra, 69, 487
 - bijection, *see* bijective
 - complementarity, 161
 - function, *see* operator
 - independence, *see* independence
 - inequality, 31, 60, 132
 - matrix, 141, 143, 144, 230, 233
 - injective, *see* injective
 - map, *see* transformation
 - operator, 40, 48, 169, 183, 184, 350, 378, 379, 408, 428, 487, 600
 - projector, 46, 580, 583, 585, 602
 - program, *see* program
 - regression, 301, 591, 592
 - surjective, *see* surjective
 - transformation, *see* transformation
- list, 19, 26, 50, 633, 634, 639
 - generating, 118, *see* generators
 - of points in X , 50
 - reconstruction, *see* reconstruction
- Littlewood, 465
- Liu, 417, 422, 428, 478
- localization, 21, 361
 - sensor network, 254–268
 - standardized test, 257
 - unique, 22, 255, 256, 360, 362
 - wireless, 254, 261, 366
- log, 570, 571
 - barrier, *see* interior-point
 - constraint, 192
 - convex, 220
 - det, 209, 365, 475, 562, 569
- Löwner inequality, 91, 494, 497, 498
 - inverse, 498
- LP, 638, *see* program, linear
 - Luenberger, 602
 - Lustig, 303
 - Lyapunov, 489
 - \mathcal{M} –, 155
- machine
 - control, 184, 485, 622
 - learning, 21, 24, 485, 591
- Magaia, 511
- majorization, 490
 - cone, 490
 - symmetric hollow, 490
- manifold, 21, 25, 96, 438, 439
 - matrix, 57, 58, 460, 484, 527, 528, 541
- map, *see* transformation
 - isotonic, 404, 406
 - USA, 26, 404–409
- Mardia, 462
- Markov process, 443
- Marsden, 344
- Marziliano, 301
- Mason flowgraph, 213
- mater, 550
- Mathar, 444, 526
- Mathematica, 213, 340
- Matlab, 4, 28, 531
 - $Ax = b$, 576
 - backslash, 236, 576
 - cartography, 405, 407
 - conic independence, 111
 - convex iteration
 - accelerant, 340
 - stall, 289
 - cvx, 293
 - EDM, 462
 - Eternity II, 323
 - FAST MAX CUT, 299
 - Hadamard product, 554
 - Kronecker product, 553
 - Moler, 592
 - MRI, 301, 304, 307–309
 - noise, 266
 - notation, 278
 - polynomial feasibility, 294
 - quantum, 329
 - signal dropout, 282
 - singular value decomposition, 339, 511
 - sum
 - Pythagorean, 529, 530
- matrix, 550
 - $\mathbf{0}$, 318
 - adjacency, 322
 - angle
 - interpoint, 350, 352
 - relative, 371
 - antisymmetric, 47, 490, 527, 635
 - antihollow, 48, 49, 458, 636
 - subspace, 47
 - arrow, 532, 533
 - auxiliary, 352, 524, 526
 - Householder, 524
 - orthonormal, 526
 - projector, 524
 - Schoenberg, 349, 525, 590, 634

- table, 526
- binary, *see* matrix, Boolean
- Boolean, 51, 238, 240, 390, 391, 635
 - orthogonal, 57
- bordered, 388, 397
 - arrow, 532
- calculus, 549
- circulant, 208, 524
 - normal, 507
 - permutation, 304, 313, 317–319
 - symmetric, 304
- commutative, *see* product
- completion, *see* problem
- correlation, 390, 402
 - rank-1, 51, 391
- decomposition, *see* decomposition
- determinant, *see* determinant
- diagonal, *see* diagonal
- diagonalizable, *see* diagonalizable
- direction, *see* direction
- distance
 - 1-norm, 204, 396
 - absolute, 343, 396, 420, 421, 461, 470–472, 630
 - binary, 205
 - Euclidean, *see* EDM
- doublet, 373, 521, 600
 - nullspace, 521, 522
 - range, 521, 522
- dyad, 516–521
 - decomposition, 516
 - hull, 53
 - independence, 73, 148, 403, 424, 519, 520
 - negative, 517
 - nullspace, 517, 518
 - projection on, 593, 595
 - projector, 518, 519, 578, 593
 - pseudoinverse, 518
 - range, 517, 518
 - sum, 505, 508, 520, 521
 - symmetric, 101, 499, 500, 519
- EDM, *see* EDM
- elementary, 396, 522, 524
 - nullspace, 522, 523
 - range, 522, 523
- entry, *see* entry
- Euclidean distance, *see* EDM
- exponential, 208, 564, 571, *see also* EDM
- factorization, *see* decomposition
- fat, *see* wide
- Fourier, 45, 303
- fractional, *see* function
- full-rank, 70
- Gale, 362
- geometric centering, 352, 373, 418, 441, 524
- Gram, 261, 350, 359
 - unique, 373, 377
- Hermitian, 490
- hollow, 48, 49, 630, 636
- Householder, 523, 528
 - auxiliary, 524
- idempotent, 580
 - nonsymmetric, 577
 - range, 577
 - symmetric, 581, 583
- transpose, 577
- Identity, 640
 - direction vector, 252, 332
 - eigen, 494
 - Fantope, 53, 54
 - inequality, 494, 538
 - orthogonal, 57, 291, 523, 528
 - permutation, 57, 291, 523
 - positive definite, 57, 101, 102, 500, 528
 - projection, 500
- indefinite, 331, 397
- indices, 344
- inverse, 207, 506, 629
 - $Ax = b$, 576
 - Identity, 562
 - injective, 574
 - minimization, *see* function, fractional
 - of sum, 561
 - positive definite, 498
 - product, 489
 - symmetric, 508
 - transpose, 489, 629
 - update, 519
- Jordan form, 494, 506
- measurement, 457
- nonexpansive, 527
- nonnegative, 397, 429, 448, 457, 608
 - definite, *see* matrix, positive semidefinite
 - factorization, 254
- nonsingular, 506, 508
- normal, 44, 494, 507, 508
- normalization, 239
- nullspace, *see* nullspace
- orthogonal, 45, 374, 507, 509, 527–532
 - diagonal, 509
 - manifold, 57, 460, 484, 527, 528, 541
 - normal, 507
 - permutation, 57, 290, 291, 527
 - product, *see* product
 - symmetric, 528
 - transpose, 527
- orthonormal, 45, 53, 58, 250, 289, 373, 508, 509, 526, 527, 539, 582, 583
 - manifold, 58
 - nonexpansive, 527
 - pseudoinverse, 574
 - square, 527
- partitioned, 501–504, *see* Schur
- permutation, 57, 290, 313, 316, 384, 527
 - δ , 489, 508
 - circulant, 304, 313, 317–319
 - extreme point, 57, 318
 - orthogonal, 57, 290, 291, 527
 - positive semidefinite, 57
 - product, *see* product
 - symmetric, 304, 523, 543
- positive definite, 91
 - eigenvalues, 494, 498, 511
 - inverse, 498
 - positive real numbers, 203
 - singular values, 511
- positive factorization, 254
- positive semidefinite, 90–110, 141, 397, 490–504
 - 2×2 , 181–183, 293

- completely, 81, 253
- difference, 110
- dyad, 500
- eigenvalues, 494, 498, 511
- extreme direction decomposition, 102
- nonnegative *versus*, 397
- nonsymmetric, 493
- permutation, 57
- projection, 500, 582
- pseudoinverse, 575
- rank, *see* rank
- singular values, 511
- square root, 498, 508, 630
- sum, eigenvalues, 499
- sum, nullspace, 73
- sum, rank, *see* rank
- symmetry *versus*, 491
- test-domain, 490, 597
- zero entry, 512
- product, *see* product
- projection, 524, 577–585
 - diagonal, 94
 - eigenvalue, 578, 580, 583
 - nonorthogonal, 577
 - orthogonal, 581
 - positive semidefinite, 500, 582
 - product, *see* product
 - rank, *see* rank
 - transpose, 577
- pseudoinverse, 41, 94, 149, 195, 237, 501, 573–575
- $\mathbf{0}$, 575
 - by SVD, 512
 - inverse, 574, 575
 - nullspace, 41, 573, 574
 - of dyad, 518
 - of projection, 574, 582
 - of vector, 574
 - orthonormal, 574
 - positive semidefinite, 575
- product, *see* product
- range, 41, 573, 574
- symmetric, 512, 575
- transpose, 147
- unique, 195, 573
- quotient, *see* Hadamard
- range, *see* range
- rank, *see* rank
- reflection, *see* reflection
- rotation, *see* rotation
- Schur-form, *see* Schur
- similarity, 498, 596
 - sign, 500
- simple, 517
- skinny, *see* thin
- sort index, 405
- square, 208
- square root, 498, 630, *see* matrix, positive semidefinite
- Stiefel, *see* matrix, orthonormal
- stochastic, 57, 290
- sum
 - eigenvalues, 499
 - nullspace, 73
 - rank, *see* rank
- symmetric, 42, 46–49, 490, 507, 635, 636
 - antihollow, 48, 636
 - eigenvalues, 507, 511
 - Hermitian, 490
 - inverse, 508
 - normal, 507
 - pseudoinverse, 512, 575
 - real numbers, 203
 - singular values, 511
 - subspace, 46
- symmetrized, 491
- thin, 45, 149, 630
- trace, *see* trace
- transpose, 629
 - conjugate, 490, 527, 629
 - idempotent, 577
 - inverse, 489, 629
- unitary, 527
 - symmetric, 303, 305
- wide, 46, 70, 331, 630
- zero definite, 515, 516
- max, 641
- MAX CUT problem, 296
- maximal, 641
- maximization, *see also* supremum
 - Eternity II, 323
 - of ball, 175, 176, 576
 - of distance, 441, 603
 - of norm, 324, 536
 - of Procrustes, 543
 - of quadratic, 298
 - nonconcave, 324, 538, 547
 - of Rayleigh quotient, 538
 - of trace, 441, 536
- maximize, 639, 641
- maximum, 641
 - of totally ordered set, 641
 - variance unfolding, 438, 443
- McCormick, 225
- membership, 51, 84, 91, 642, 643
 - boundary, 138, 233
 - relation, 131, 152
 - affine, 172
 - boundary, 132, 138, 233
 - discretized, 136, 137, 141, 452
 - EDM, 452
 - interior, 131, 152, 231
 - normal cone, 158
 - orthant, 51, 137, 138
 - subspace, 152
- Menger, 384, 398, 412, 414, 465, 482
- metric, 45, 204, 343
 - audio, 218
 - postulate, 344
 - property, 344, 385
 - fifth, 345–347, 409–411, 415
 - space, 344
- min, 641
- minimal, 641
 - cardinality, *see* minimization
 - element, 83, 84, 171, 172
 - minimum, 171, 172
 - rank, *see* minimization
 - set, *see* set
- minimization, 134, 158, 256, 535, 558

- affine function, 184
- fractional, *see* function, fractional
- norm
 - 1-, 174, *see* problem
 - 2-, 174, 354, 592
 - ∞ -, 175
 - Frobenius, 174, 190, 191, 194, 195, 461, 469, 598
 - nuclear, 332, 474, 537
- of ball, 175
- of cardinality, 175, 176, 273–277, 287, 288, 306
 - Boolean, 236
 - by perturbation, 246
 - nonnegative, 177–180, 273–277, 282–286
 - rank connection, 251
 - rank, full, 240
 - rank-1, 299
 - reduction, 246–248
- of distance, 581, 598
- of quadratic
 - binary, 328, 329
 - convex, 162, 191, 408, 546
 - nonconvex, 538, 546
- of rank, 249–253, 289, 334, 335, 476, 482
 - by perturbation, 241
 - cardinality connection, 251
 - cardinality constrained, 299
 - indefinite, 331
 - reduction, 226, 240–244
 - wide, 331
- of Rayleigh quotient, 538
- of trace, 251, 252, 332, 359, 473–475, 502, 537
- on hypercube, 67
- Schur-form, 502, 519
- minimize, 639, 641
- minimizer, 171
 - unique, 170, 171
- minimum, 641
 - element, 83, 84, 171, 172
 - unique, 83, 84, 171, 172
 - global, 169, 171, 189, 209, 558, 599
 - local, 171
 - minimal, 171, 172
 - norm, *see* least
 - of convex function, 171
 - of totally ordered set, 641
 - phase, 212, 269
 - unique, 169, 558
- Minkowski, 40, 117
- MIT, 333
- Mizukoshi, 50
- modulus, 641
- molecular conformation, 21, 23, 27, 368
- Moler, 529, 592
- Monckton, 309, 311, 312, 318, 323
- monotonic, 190, 196, 253, 275, 617, 620
 - Fejér, 617
 - function, *see* function
 - gradient, 197
 - noisily, 253, 275
- Moore-Penrose
 - conditions, 573, 575
 - inverse, *see* matrix, pseudoinverse
- Moreau, 161, 606
- Morrison
 - Donald, 529
 - Winifred J, 519
- Motzkin, 109, 134, 294, 601
- Mount, 218
- MRI, 301–305, 635
- Muller, 511
- multidimensional
 - function, *see* function
 - objective, 83, 84, 171, 172, 272, 306
 - scaling, 21, 401, 421, 462, 486
 - ordinal, 406
- multilateration, 255, 366
- multiobjective optimization, 83, 84, 171, 172, 272, 306
- multipath, 366
- multiplicity, 495, 506
- Musin, 356, 358
 - \mathcal{N} –, 69
- necessary, 632
- neighbor
 - base station, 367
 - nearest, 25, 438–442
 - pixel, 303, 306, 307
 - qubit, 325, 326
- neighborhood graph, 438, 439
- Németh, 135, 161, 611
- Nemirovski, 457
- nested
 - sequence, 387
 - sublevel set, 200
- Newton, 356, 549
 - direction, 194
- Nigam, 368
- Nirenberg, 602
- node, 257–260, 263–267, 296, 297
- nondegeneracy, 344
- nonexpansive, 161, 527, 578, 582, 608
- nonnegative, 384, 643
 - constraint, 57, 71, 72, 161, 174–178, 224, 288
 - factorization, 254
 - part, 180, 181, 458, 609, 610, 633
 - polynomial, 85, 502
- nonnegativity, 173, 344
- nonorthogonal
 - basis, 149, 586
 - projection on, 586
 - projection, *see* projection
- nonvertical, 195
- norm, 171, 173–177, 179, 180, 273, 643, 644
 - 0, 512
 - 0-, *see* 0-norm
 - 1-, *see* 1-norm
 - 2-, *see* 2-norm
 - ∞ -, *see* ∞ -norm
 - k -largest, 179, 180, 276, 323, 643
 - gradient, 180
 - monotonicity, 180
 - ℓ -, 173, 643
 - ball, *see* ball
 - constraint, *see* constraint
 - convexity, 58, 170, 171, 173–176, 191, 197, 348, 536, 643
 - dual, 125, 536, 644

- equivalence, 173
- Euclidean, *see* 2-norm
- Frobenius, 44, 171, 251, 460, 644
 - maximal, 324
 - minimal, 174, 190, 191, 194, 195, 469, 598
 - orthogonal matrix, 527
 - orthonormal matrix, 53
 - Schur-form, 190, 191
- gradient, 180, 193, 565, 567, 581, 589, 590, 598, 601
- homogeneity, 173
- inequality, 173, 643
 - triangle, 173
- Ky Fan, 536
- least, 176, 237, 576, 577
- nuclear, *see* nuclear
- of difference, 348
- of dyad, 518
- of outer product, 518
- orthogonally invariant, 45, 408, 460, 527, 532
- property, 173
- regularization, 296, 576
- residual, 300
- spectral, 58, 191, 251, 460, 470, 511, 518, 523, 536, 610, 643
 - ball, 58, 611
 - constraint, 58
 - dual, 536, 644
 - inequality, 643
 - orthogonal matrix, 527
 - Schur-form, 191, 536
- square, 171, 197, 567, 589, 590, 598, 643
 - vs.* square root, 170, 174, 191, 197, 460, 581, 592
- normal, 61, 601
 - cone, *see* cone
 - equation, 575, 576
 - facet, 145
 - gradient, 159, 194
 - inward, 60, 443
 - outward, 60
 - vector, 61, 601, 624
- not, 632
 - necessarily, 641
- Notation, 629
- NP-hard, 299, 309, 477
- nuclear
 - magnetic resonance, 23, 368
 - norm, 251, 332, 474, 536, 537, 644
 - ball, 55–57, 537
- nullspace, 41, 61, 69–74, 524, 574, 600, 635
 - algebra, 517
 - basis, 61, 70, 73, 74, 100, 135, 151, 160, 510, 582, 589, 590, 636
 - Schur-form, 502
 - vectorized, 74, 100
 - cone, pointed, 119
 - decomposition, 61, 576
 - dimension, 69
 - doublet, 521, 522
 - dyad, 517, 518
 - elementary matrix, 522, 523
 - form, 69
 - hyperplane, 60, 61
 - injective, 44
 - intersection, 73
 - inverse, 41, 44, 574
 - of product, 382, 496, 517, 521, 582
 - operator, *see* operator
 - orthogonal complement, 69
 - projector, 581
 - pseudoinverse, 41, 573, 574
 - set, 138
 - sum, 73
- numerical precision, *see* precision
 - O –, 640
- objective, 67, 68, 127, 134, 158, 160, 639
 - convex, 223
 - strictly, 471, 475
 - linear, 184, 263, 359
 - multidimensional, 83, 84, 171, 172, 272, 306
 - nonlinear, 185
 - polynomial, 293
 - quadratic
 - convex, 162, 191, 408, 479, 546
 - nonconvex, 324, 546
 - real, 171
 - value, 233, 243
- offset, *see* invariance, translation
- on, 638
- one-to-one, 638, *see* injective
- only if, 632
- onto, 638, *see* surjective
- op amp, 212, 213
- open, *see* set
- operator, 632, 640
 - adjoint, 42, 43, 130, 449, 629, 634
 - self, 42, 353, 448, 487
 - affine, *see* function
 - injective, *see* injective
 - invertible, 42, 44, 45, 143
 - linear, 40, 48, 169, 183, 184, 350, 378, 379, 408, 428, 487, 600
 - projector, 46, 580, 583, 585, 602
 - nonlinear, 170, 185
 - nullspace, 373, 377–379, 600
 - permutation, 178, 179, 274, 464–467, 483, 488, 634
 - projection, *see* projector
 - quadratic, convex, 349, 372
 - surjective, *see* surjective
 - unitary, 45, 527
- optimal, 7, 19, 639
 - optimum, 171, 172, 639
- optimality
 - condition, 234
 - conic problem, 128, 160, 162
 - direction vector, 250, 274
 - directional derivative, 558
 - dual, 125
 - first-order, 134, 135, 158–162
 - KKT, 161, 162, 463, 547
 - linear program, 128
 - semidefinite program, 235
 - Slater, 128, 167, 231, 234, 235
 - unconstrained, 135, 194, 598
 - constraint
 - conic, 160, 162

- equality, 135, 162
 - inequality, 161
 - nonnegative, 161
 - global, 7, 19, 171, 189, 223
 - convex iteration, 250, 252, 253, 274, 338
 - local, 7, 19, 171, 223
 - convex iteration, 253, 275, 278, 287, 338
 - optimization, 19, 223
 - algebra, 174, 535, 536
 - combinatorial, 57, 68, 178, 236, 294, 296, 313, 317, 328, 391, 485
 - Procrustes, 290
 - conic, *see* problem
 - convex, 7, 19, 171, 223, 359
 - art, 8, 240, 256, 486
 - fundamental, 223
 - solution set, 171, 335
 - invariance, 174, 184, 250, 535, 536, 639
 - multiobjective, 83, 84, 171, 172, 272, 306
 - programming, 223
 - quantum, 326–328
 - tractable, 223
 - vector, 83, 84, 171, 172, 272, 306
 - optimum, 639
 - optimal, 171, 172, 639
 - order
 - natural, 42, 487, 640
 - nonincreasing, 466, 634
 - eigenvalue, 498, 507
 - singular value, 508
 - O, 640
 - of projection, 458–460, 611, 622
 - partial, 51, 81, 83, 84, 137, 138, 145, 146, 640, 642, 643
 - generalized inequality, 84, 91
 - on orthant, 138
 - on symmetric, 91, 497
 - property, 84
 - total, 83, 84, 122, 641, 643
 - transitivity, 84, 91, 497, 640
 - origin, 31, 32, *see* zero
 - cone, *see* cone
 - projection of, 63, 176, 576, 589
 - 1-norm, 175
 - projection on, 605, 610
 - subspace, 32, 47, 635, 640
 - translation to, 381
 - Orion nebula, 21
 - orthant, 33, 120, 122, 131, 138, 149, 158, 639
 - dual, 141
 - extreme direction, 72
 - nonnegative, 132, 448
 - orthogonal, 42, 581, 598, 636
 - basis, 48, 49, 73, 583
 - projection on, 586
 - complement, *see* complement
 - condition, 581
 - constraint, 337, 369, *see* Procrustes
 - equivalence, 532
 - expansion, 48, 122, 148, 582–584
 - invariance, 45, 408, 460, 527, 532
 - matrix, *see* matrix
 - projection, *see* projection
 - set, 138, 636
 - sum, 632
 - vector, 42, 636
 - orthogonality, 581, 639
 - matrix, 636
 - set, 138, 636
 - vector, 42, 636
 - orthonormal, 42
 - condition, 148, 149, 582
 - constraint, 289
 - decomposition, 582–584
 - matrix, *see* matrix
 - over, 638
 - overdetermined, 630
- P –, 577
- PageRank, 443
 - parallelepiped, 118
 - parallelogram, 118
 - Pardalos, 362
 - Parhizkar, 20
 - pattern recognition, 21
 - PCA, *see* principal component analysis
 - Penrose conditions, 573, 575
 - pentahedron, 413
 - pentatope, 120, 413
 - permutation, *see* matrix
 - constraint, *see* polyhedron, permutation
 - perpendicular, *see* orthogonal
 - Perron, 397
 - perturbation
 - cardinality, 246, 247
 - rank, 241–243
 - Pfender & Ziegler, 356
 - phantom, 301–303, 305, 309
 - phase, 642
 - minimum, 212, 269
 - transition, 177, 277
 - Photoshop, 332
 - plan, 67
 - plane, 58
 - segment, 86
 - point
 - boundary, 78
 - of hypercube slice, 309
 - exposed, *see* exposed
 - extreme, *see* extreme
 - feasible, *see* solution
 - fixed, 253, 307, 600, 614–617
 - inflection, 202
 - list, *see* list
 - minimal, *see* minimal element
 - vector, 87, 639
 - Pólya, 465
 - Polyak, 535
 - polychoron, 39, 116, 120, 412, 413
 - polyhedron, 36, 50, 67, 116–120, 122, 389
 - bounded, 53, 57, 117, 178
 - face, 115, 116
 - halfspace, *see* halfspace
 - description, 116
 - norm ball, 175
 - permutation, 57, 58, 290, 292, 318, 328
 - vertex, 323
 - range form, 118
 - stochastic, *see* polyhedron, permutation

- transformation
 - linear, 112, 116, 132
 - unbounded, 33, 36, 117
 - vertex, 57, 117, 175
 - description, 53, 118
- polynomial
 - constraint, 181, 183, 293, 294, 502
 - convex, 203
 - inequality, 183, 502
 - Motzkin, 294
 - nonconvex, 293
 - nonnegative, 85, 502
 - objective, 293
 - quadratic, *see* function
 - rational, curve fit, 214, 218
- polytope, 116
- positive, 643
 - completely, 81, 253
 - factorization, 254
 - semidefinite, *see* matrix
 - strictly, 385
- power, *see* function, fractional
- Précis, 383
- precision
 - antisymmetry, 116
 - eigenvalue, 505
 - inequalities, complementary, 116
 - numerical, 217, 225, 226, 338, 339
 - perturbation, 242
 - quadruple, 217
 - solver, 306
 - barrier, 8, 226, 356
 - crippling, 225
 - dimension, 225, 457
 - hollowness, 485
 - interior-point, 226, 238, 268, 311, 358, 478
 - variables, 225, 311
- presolver, 139, 284–287, 311, 320–322
 - en masse*, 139
 - aggregation, 286
- primal
 - feasible set, 226, 230
 - problem, 127, 224
 - via dual, 125, 128, 129, 236
- principal
 - component analysis, 299, 402, 486, 591, 592
 - singular value decomposition, 592
 - eigenvalue, 299, 507
 - eigenvector, 299, 300, 507, 592
 - submatrix, 98, 359, 410, 413, 427
 - face, 98
 - leading, 99, 385, 387
 - positive semidefinite, 499
 - rank, 98, 499
- principle
 - halfspace-description, 60
 - separating hyperplane, 68
 - supporting hyperplane, 65
- problem
 - 1-norm, 174–178, 236
 - nonnegative, 177, 178, 274, 275, 277, 282–286, 474
 - signed, 287, 288
 - ball packing, 356
 - Boolean, 57, 68, 236, 294, 317, 328, 391
 - combinatorial, 57, 68, 178, 236, 294, 296, 313, 317, 328, 391, 485
 - Procrustes, 290
 - complementarity, 161
 - linear, 161
 - completion, 257–260, 266, 304, 311, 345, 346, 359–363, 388, 394, 415, 437–439, 486
 - geometry, 438
 - semidefinite, 621, 622
 - compressed sensing, *see* compressed sensing
 - concave, 223
 - conic, 127, 160, 162, 172, 224
 - dual, 127, 224
 - convex, 128, 135, 160, 162, 175, 184, 189, 191, 225, 230, 468, 601, 639
 - definition, 223
 - geometry, 19, 23
 - nonlinear, 223
 - statement as solution, 8, 223
 - tractable, 223
 - dropout, signal, 278–282
 - dual, *see* dual
 - epigraph form, 190, 191, 480, 592
 - equivalent, 174, 184, 250, 262, 535, 536, 639
 - Eternity II, *see* Eternity
 - feasibility, 20, 111, 119, 138, 139, 640, 641
 - semidefinite, 233, 249, 250, 336
 - Gram-form, *see* problem, proximity
 - kissing, 356
 - MAX CUT, 296
 - minimax, 51, 127, 128
 - nonconvex, 8
 - EDM, PSD, 460, 466–468
 - LP, 71
 - map, 26, 404
 - polynomial, 293
 - projection, 468
 - stress, 477
 - nonlinear, 359
 - convex, 223
 - open, 26, 107, 253, 401, 428, 485
 - permutation, 57, 290, 292, 313, 316–318, 328
 - primal, *see* primal
 - Procrustes, *see* Procrustes
 - proximity, 457, 458, 460, 462, 470, 478
 - EDM, nonconvex, 466
 - Gram-form, 469, 472, 480
 - in spectral norm, 470
 - rank heuristic, 474, 476
 - semidefinite, 464, 471, 472, 479, 480
 - quadratic
 - binary, 328, 329
 - convex, 162, 408, 546
 - nonconvex, 324, 546
 - quasiconvex, 209, 216
 - same, 639
 - sphere packing, 356
 - sstress, 460, 461
 - strain, 461
 - stress, 203, 460, 461, 477
 - tractable, 223
 - tug of war, 354
- procedure
 - alternating projection, 623
 - bisection, 215

- cardinality reduction, 248
- rank reduction, 241
- Procrustes
 - combinatorial, 290
 - compressed sensing, 292
 - convexity, 542
 - diagonal, 546
 - linear program, 544
 - maximization, 543
 - orthogonal, 541, 542
 - two sided, 543, 544
 - orthonormal, 289
 - permutation, 290, 541
 - relaxation, 542
 - symmetric, 545
 - translation, 542
 - unique solution, 541
 - vector, 290, 541
- product, 210, 553, 634
 - Cartesian, 40, 230, 619, 635
 - cone, 81, 82, 129
 - function, 172
 - commutative, 208, 235, 495, 496, 515, 613
 - determinant, 496
 - eigenvalue, 495–497, 541
 - of, 496, 497, 511
 - empty, 634
 - function, 188, 198, 210, 211, 219
 - gradient, 552
 - Hadamard, *see* Hadamard
 - inner
 - cosine, 42, 353, 369, 370
 - EDM definition, 369
 - matrix, 350
 - vector, 60, 153, 210, 225, 301, 527, 593, 633
 - vector, positive semidefinite, 141
 - vectorized matrix, 42–44, 494
 - zero, *see* product, zero
 - inverse, 489
 - transpose, 489
 - Kronecker, 94, 487–489, 544, 553, 554
 - δ , 489
 - determinant, 489
 - diagonal, 489
 - dimension, 553
 - eigen, 489
 - gradient, 566
 - inverse, 304, 489
 - of vectors, 554
 - orthogonal, 532
 - permutation, 488, 527
 - positive semidefinite, 348, 497
 - projector, 598
 - pseudoinverse, 489, 574
 - range, 598
 - rank, 489
 - trace, 489
 - transpose, 489
 - vectorization, 489
 - nullspace, 382, 496, 517, 521, 582
 - orthogonal, 527
 - outer, 53–57, 250, 539
 - norm, 518
 - positive semidefinite, 96
 - vector, *see* matrix, dyad
 - permutation, 527
 - positive definite, 492
 - nonsymmetric, 492
 - positive semidefinite, 497, 500
 - matrix outer, 96
 - nonsymmetric, 496
 - vector inner, 141
 - zero, 515
 - projection, 445, 459, 460, 610–613, 616
 - projector, 445, 593, 598, 613
 - pseudofractional, 187
 - pseudoinverse, 574
 - quasiconcave, 210
 - range, 496, 517, 521, 581
 - rank, 382, 495, 496
 - singular value of, 511
 - symmetric, 496
 - tensor, 553
 - trace, *see* trace
 - transpose, 489
 - inverse, 489
 - zero, 42, 61, 63, 73, 132, 515, 516, 636
 - PSD, 91, 97–101, 235, 515
- program, 67, 223
 - binary, 317, 319, 320
 - quadratic, 328
 - class, 226
 - convex, *see* problem
 - geometric, 7, 226
 - integer, 57, 68, 391
 - linear, 67, 71–73, 128, 174, 185, 223–226, 356, 640
 - dual, 128, 224
 - prototypical, 128, 224, 640
 - nonlinear
 - convex, 223
 - plan, 67
 - quadratic, 162, 225, 226, 408
 - binary, 328
 - nonconvex, 324
 - quadratically constrained, 191, 226, 293
 - second-order cone, 225, 226
 - semidefinite, 128, 174, 185, 223–226, 292, 640
 - dual, 128, 224
 - equality constraint, 91
 - prototypical, 128, 224, 234, 246, 640
 - Schur-form, 181, 190, 191, 408, 471, 480, 536, 592, 608
 - solver intensity, 225
 - type, 226
- programming, optimization, 223
- projection, 573, 578, 582
 - 1-norm, 611
 - $I - P$, 580, 606, 607
 - algebra, 585
 - alternating, 356, 612, 613
 - angle, 618
 - convergence, 616, 618, 619, 622
 - distance, 615, 616
 - Dijkstra algorithm, 612, 622, 623
 - feasibility, 615, 616
 - iteration, 480, 612, 617, 623
 - on affine \cap PSD cone, 620
 - on EDM cone, 479
 - on halfspaces, 614

- on orthant \cap hyperplane, 617, 618
- on subspace/affine, orthogonal, 613
- optimization, 615, 616, 622
- over/under, 619
- biorthogonal expansion, 583, 587, 588
- coefficient, 46, 433, 435, 500, 581, 594–597
- nonorthogonal, 147, 593, 594
- cyclic, 614
- direction, 581, 583, 593, 594
 - nonorthogonal, 579, 580, 588, 593
 - parallel, 584, 585, 587, 588
- dual, *see* dual
- easy, 609
- eigenvalue, 594–596
 - decomposition, 610
- Euclidean, 108, 458–464, 470, 478, 601
- isomorphism, 44
- matrix, *see* matrix
- minimum-distance, 135, 580, 581, 598–602
- nonorthogonal, 351, 461, 470, 577–579, 587, 593
 - of origin, 175, 176
- oblique, *see* projection, nonorthogonal
- of convex set, 42
- of hypercube, 44
- of matrix, 598, 599
- of origin, 63, 576, 589
 - 1-norm, 175, 176
- of polyhedron, 116
- of PSD cone, 95
- on affine, 42, 585, 590
 - hyperplane, 63, 589
 - of origin, 63, 175, 176, 576, 589
 - orthogonal, 613
 - vertex-description, 590
- on ball
 - 1-norm, 609
 - ∞ -norm, 609
 - ellipsoidal, boundary, 288, 289
 - Euclidean, 609
 - Euclidean, boundary, 609
 - spectral norm, 611
- on basis
 - nonorthogonal, 586
 - orthogonal, 586
- on box, 610
- on cardinality k , 610
- on circle, 609
- on complement
 - algebraic, 580, 606
 - orthogonal, 606
- on cone, 605, 606, 610
 - dual, *see* dual
 - Lorentz (second-order), 611
 - monotone nonnegative, 400, 408, 465, 466, 610
 - polar, *see* dual, projection, on cone
 - polyhedral, 611
 - simplicial, 610
 - truncated, 608
- on cone, EDM, 470, 471, 478–482
 - boundary, 482
 - dual, *see* dual
- on cone, PSD, 108, 462–464, 610
 - boundary, 27, 468
- cardinality constrained, 299
- geometric center subspace, 445
- rank constrained, 194, 464, 468, 538, 610
- rank-1, 299
- on convex set, 135, 601, 602
 - boundary, 468, 604
 - dual, *see* dual
 - in affine subset, 612
 - in subspace, 611
- on convex sets, 614
- on dual, *see* dual
- on dyad, 593, 595
- on ellipsoid boundary, 288, 289
- on function domain, 187
- on geometric center subspace, 445, 599
- on halfspace, 589
- on hyperbox, 610
- on hypercube, 609
- on hyperplane, 589, *see* projection, on affine
- on hypersphere, 609
- on intersection, 612–616, 618, 620–624
- on line, 590
- on origin, 605, 610
- on orthant, 466, 608, 609
 - in subspace, 466
- on range, 575, 576, 581
- on rank constrained matrices, 610
- on rowspace, 46, 581
- on simplex, 609
- on slab, 589
- on subspace, 42, 581
 - Cartesian, 610
 - elementary, 588
 - face, 98
 - hollow symmetric, 462, 609
 - matrix, 598
 - orthogonal, 613
 - orthogonal complement, 77, 122, 605
 - polyhedron, 116
 - symmetric matrices, 609
- on vector
 - cardinality k , 610
 - nonorthogonal, 593
 - orthogonal, 594
- on vectorized matrix, 593, 594
- one-dimensional, 593–595
- order of, 458–460, 611, 622
- orthogonal, 575, 576, 581, 594
- product, 445, 459, 460, 610–613, 616
- range/rowspace, 600
- semidefiniteness test as, 597
- singular value decomposition, 610
- spectral, 441, 465, 466
 - norm, 470, 610
 - unique, 466
- successive, 614
- two sided, 598–600
- umbral, 42
- unique, 580, 581, 598, 601, 602
- vectorization, 432, 599
- projector, 42, 581, 602, 640
 - affine subset, 585
 - auxiliary matrix, 524
 - characteristic, 580, 583
 - nonorthogonal, 578

- orthogonal, 582
- commutative, 613
 - non, 613
- complement, 581
- convexity, 580, 583, 601, 602
- direction, *see* projection
- dyad, 518, 519, 578, 593
- fractional function, 188
- linear operator, 46, 580, 583, 585, 602
- nonexpansive, 161, 578, 582, 608
- nonorthogonal, 351, 578, 579, 585, 593
 - affine subset, 577
- nullspace, 581
- orthogonal, 581–584
- product, 445, 593, 598, 613
- range, 581
- rank trace, 580, 583
- rowspace, 46, 581
- semidefinite, 500, 582
- subspace, fundamental, 581
- unique, 581, 582, 599
- proper
 - cone, *see* cone
 - subset, 631
 - subspace, 32, 48, 49, 125, 149, 153, 443, 606
- prototypical
 - complementarity problem, 161
 - compressed sensing, 282
 - coordinate system, 122
 - linear program, 128, 224, 640
 - SDP, 128, 224, 234, 246, 640
 - signal, 301
- PSD, *see* matrix, positive semidefinite
- pseudoinverse, *see* matrix
- puzzle, Eternity II, *see* Eternity
- pyramid, 414
- Q –, 527
- quadrant, 33, 639
- quadratic, *see* function
- quadrature, 312, 313, 374, 375
- quantum, 297, 326–328, 356
 - Eternity II, 328, 329
 - gap, 328–330
- quartix, 551, 639
- quasi-, *see* function
- qubit, 326
 - coupling, 326
 - neighboring, 325, 326
- QUBO, 328, 329, 638
- quotient
 - Hadamard, *see* Hadamard
 - Rayleigh, 597
 - optimization, 538
- \mathcal{R} –, 69
- range, 41, 52, 69, 574, 598, 635
 - basis, 87, 510, 582, 586, 588, 635
 - complement, 151
 - vectorized, 74
 - dimension, 45
 - doublet, 521, 522
 - dyad, 517, 518
 - EDM, 424
 - elementary matrix, 522, 523
 - form, 69
 - polyhedron, 118
 - idempotent, 577
 - of product, 496, 517, 521, 581
 - Kronecker, 598
 - of vectorization, 593, 594, 596–598
 - orthogonal complement, 69
 - projector, 581
 - pseudoinverse, 41, 573, 574
 - reflection, 531
 - rotation, 530, 531
 - rowspace projection, 600
- rank, 69, 495, 496, 642
 - ρ subset, 96, 109, 462–468, 482, 486
 - 0, 97, 109, 227, 228, 252
 - 1, 500, 517
 - Boolean, 51, 238, 240, 390, 391
 - correlation, 51, 391
 - hull, 53, 55, 56, 101
 - modification, 519, 522
 - PSD, 101, 293, 499, 500, 519
 - singular value decomposition, 340
 - subset, 194
 - symmetric, 101, 293, 499, 500, 519
 - transformation, 336
 - update, *see* rank-1, modification
- constraint, *see* constraint
- convex
 - envelope, *see* convex
 - iteration, *see* convex
 - subsets, 108
- dimension, 69, 111, 382, 383, 642
 - affine, 383, 476
- EDM, 383, 424
- eigenvalue, 495, 506, 507
 - decomposition, 610
- full, 70, 240
- heuristic, 474, 476
- indefinite, 331
- inequality, 498
- Kronecker, *see* product
- log det, 475, 476
- minimization, *see* minimization
- monotonicity, 197, 473
- of diagonalizable, 495, 506
- of product, 382, 495, 496
- of projection matrix, 580, 583
- of symmetric, 98, 507
- of transpose, 382, 496
- partitioned matrix, 503
- positive semidefinite cone, 226, 498
 - convex subsets, 108
 - face, 97–100
- Précis, 383
- quasiconcavity, 107, 197, 473
- reduction, *see* minimization
- regularization, 272, 289, 296, 335, 476, 485
- Schur-form, 503, 504
- singular value, 509, 510
 - decomposition, 610
- sum, 107
 - positive semidefinite, 107, 108, 495, 496
- trace

- gap, 473
- heuristic, 251, 252, 332, 473–475, 537
- ray, 77
 - boundary of, 77
 - cone, 77, 81, 82, 112, 119
 - boundary, 85
 - EDM, 88
 - positive semidefinite, 87
 - extreme, 86, 430
 - interior, 77
- Rayleigh quotient, 597
 - optimization, 538
- realizable, 19, 355, 461, 462
- reconstruction, 401
 - isometric, 362, 405
 - isotonic, 404–409
 - list, 401, 405
 - unique, 346, 359–363, 372, 375, 438
- recursion, 307, 451, 487, 499
- reflection, 373, 374, 528, 543
 - invariance, 373
 - of matrix, 532
 - of range, 531
 - prevention, 374
 - signal, 20, 366
 - vector, 528
- reflexivity, 84, 497, 640
- regular
 - lattice, 27, 257
 - simplex, 120, 413
 - tetrahedron, 411, 421
- regularization
 - cardinality, 279, 300
 - norm, 296, 303, 306, 576
 - rank, 272, 289, 296, 335, 476, 485
- relative, 34, 641
- relaxation, 57, 68, 178, 237, 239, 361, 391, 407, 542
- residual
 - amplitude, 177
 - norm, 300
- reweighting, 275, 475
- Richardson, 564
- Riemann, 225
- Riordan, 311
- Robberto, 21
- robotics, 22, 28
- Rockafellar, 67, 85, 86, 116, 125
- room geometry, 20, 21
- root, *see* function, fractional
- rotation, 373–375, 527, 530–532, 542
 - clockwise, 374
 - invariance, 102, 373
 - of cone, *see* cone, rotated
 - of matrix, 532
 - of range, 530, 531
 - quadrature, 313, 374, 375
 - vector, 105, 374, 375, 527
- round, 641
- rowspace, 41, 69, 574, 635
 - projector, 46, 581
 - range projection, 600
- Rutman, 130
- s*, 212, 219
- saddle, 129
 - value, 127, 129, 225
- same, 639
- Saul, 25, 438, 440, 442
- Saunders, 217, 317, 319, 321
- scaling, 401, *see also* homogeneity
 - frequency, 217
 - invariance, 220, 349, 535
 - multidimensional, 21, 401, 421, 462, 486
 - ordinal, 406
 - unidimensional, 476
- Schütte & van der Waerden, 356
- Schoenberg, 25, 343, 351, 389, 394, 396, 407, 461, 462
 - auxiliary matrix, 349, 525, 590, 634
 - criterion, 25, 26, 351, 352, 398, 418, 429, 432, 449, 452, 453, 455, 597
- Schur, 490
 - complement, 215, 262, 361, 501, 503
 - conditions, 501, 513, 533, 546
 - form, 501–504
 - anomaly, 191
 - convex set, 93
 - minimization, 502, 519
 - norm, Frobenius, 190, 191
 - norm, spectral, 58, 191, 536
 - nullspace, 502
 - quadratic, 502
 - rank, 503, 504
 - semidefinite program, 181, 190, 191, 408, 471, 480, 536, 592, 608
 - sparse, 503
- Schwarz, 71, 616
- SDP, *see* program, semidefinite
- semidefinite
 - positive, *see* matrix
 - program, *see* program
- sensor, 22, 254, 255, 257–260, 263–267
 - network localization, 254–268, 359, 365
- sequence, 617
 - nested, 387
- set, 26, 633, 639
 - active, 140, 246, 639
 - Cartesian product, 40
 - closed, 32–35, 60, 61, 143
 - and open, 32, 35
 - cone, 90, 96, 114, 116, 117, 129, 130, 132, 143, 231, 232, 418
 - exposed, 428
 - polyhedron, 114, 116
 - connected, 31, 84, 96, 228
 - convex, 31
 - invariance, 39, 40
 - projection on, 135, 601, 602
 - dense, 76
 - difference, 40, 130, 632
 - empty, 33, 34, 39, 82, 535
 - affine, 33
 - closed, 35
 - cone, 77
 - face, 75
 - hull, 51, 53, 58
 - open, 35
 - feasible, 7, 39, 57, 135, 158, 171, 223, 639

- dual, 230
- extreme point, 250
- primal, 226, 230
- intersection, *see* intersection
- invariance, 396
- level, 159, 184, 186, 193, 200, 210, 223
 - affine, 185
- minimal, 53, 63, 114, 322, 635
 - affine, 590
 - extreme, 87, 145
 - halfspace, 114, 115
 - hyperplane, 114
 - orthant, 170
 - positive semidefinite cone, 92, 141, 204
- nonconvex, 26, 35, 77–81, 404
- nullspace, 138
- open, 32–35, 131
 - affine, 33
 - and closed, 32, 35
- ordered, 26
- origin, 32, 77, 82, 85, *see* zero
- orthogonal, 138
- projection of, 42
- Schur-form, 93
- smooth, 390
- solution, 171, 335, 639
- sublevel, 186, 200, 206, 210
 - convex, 187, 200, 502
 - nested, 200
 - normal, 159, 194
 - quasiconvex, 210
- sum, *see* sum, vector
- superlevel, 187, 210
 - quasiconcave, 210
- union, 40, 76, 77, 79, 99
- sgn, 210, 242, 307, 512, 564, 565, 571, 634, 641
- Shannon, 301
- shape, 21
- shell, 262
- Shepp-Logan, 301–303, 305, 309
- Sherman-Morrison-Woodbury, 519
- shift, *see* invariance, translation
- shroud, 374, 375, 431
 - cone, 142, 454
- SIAM, 224
- sigma delta, 19, 20
- sign, 641
- signal
 - distortion, *see* distortion
 - dropout, 278–282
 - processing, 20, 21
 - analog, 212, 218
 - compression, 332
 - digital, 19, 20, 28, 219, 278–282, 301, 402
 - reflection, 20, 366
- similarity, 402, *see* transformation
- simplex, 119, 120
 - area, 412
 - content, 413
 - method, 8, 225, 226, 268, 284, 356
 - nonnegative, 282–284, 609
 - regular, 120, 413
 - unit, 119, 120
 - volume, 413
- singular value, 508, 536
 - σ , 487, 488, 634
 - constraint, 58
 - decomposition, 508–512, 536
 - 2×2 , 340
 - compact, 508
 - convex iteration, 338, 339
 - diagonal, 546
 - ellipsoid, 510, 511
 - full, 509
 - geometrical, 510, 511
 - positive semidefinite, 511
 - principal component analysis, 592
 - Procrustes, 541, 544
 - projection, 610
 - pseudoinverse, 512
 - rank constrained, 610
 - real, 509
 - subcompact, 509
 - symmetric, 511, 512, 545
 - unique, 338, 509
 - eigenvalue, 508, 511, 512
 - inequality, 545
 - inverse, 512
 - largest, 58, 191, 536, 611, 643
 - normal matrix, 44, 508
 - ordering, 508
 - product, 511
 - rank, 509, 510
 - smallest, 536
 - sum of, 44, 56, 536, 537
 - triangle inequality, 56
- singular vector, 537
 - eigenvector, 511, 592
 - orthonormal, 338
- SIOPT, 225
- slab, 33, 262, 589
- slack
 - complementary, 235
 - variable, 224, 230, 246
- Slater, 128, 167, 231, 234, 235
- slice, 103, 141, 365, 557
- slope, 194
- SNR, 638
- SOCP, *see* program, second-order cone
- solid, 116, 120, 411
- solution, 223
 - analytical, 190, 223, 535
 - feasible, 68, 135, 231, 615–618, 639
 - dual, 234, 235
 - strictly, 231, 234
 - global, 223
 - local, 223
 - numerical, 266
 - optimal, 68, 71–73, 171, 639
 - problem statement as, 8, 223
 - set, 171, 335, 639
 - trivial, 32
 - unique, *see* unique
 - vertex, 68, 178, 225, 226, 238, 284, 292, 356
- sort
 - function, 178, 179, 274, 464–467, 483, 488, 634
 - index matrix, 405
 - largest entries, 179
 - monotone nonnegative, 466
 - smallest entries, 178

- span, 52, 635
- sparsity, 173–180, 236, 240, 273–278, 287, 288, 299, 301, 317, 640
 - gradient, 302
 - nonnegative, 177, 277, 282–286
- spectahedron, 53
- spectral
 - cone, 398–400, 464, 634, 637
 - dual, 400, 401
 - orthant, 466
 - factorization, 268–270
 - inequality, 398
 - norm, *see* norm
 - projection, *see* projection
- sphere, *see* hypersphere
 - packing, 356
- square, *see* matrix, *see* norm
- square root, 629, 637, *see* function, fractional, *see* matrix
- Srebro, 56, 536
- Starck, 303
- steepest descent, 194, 557
- Stiemke, 134
- strain, *see* problem
- Strang, 494
- stress, *see* problem
- strict
 - complementarity, 235
 - feasibility, 231, 234
 - positivity, 385
 - triangle inequality, 387
- Sturm, 516
- subject to, 641
- submatrix, *see* principal
- subset, proper, 631
- subspace, 32, 635
 - $\mathbf{0}$, 32, 47, 635, 640
 - algebra, 32, 69, 517
 - antihollow
 - antisymmetric, 48, 49, 458, 636
 - symmetric, 48, 636
 - antisymmetric, 47
 - Cartesian, 275, 610
 - complementary, *see* complement
 - fundamental, 41, 69, 518, 521, 522, 574, 581
 - projector, 581
 - geometric center, 376, 377, 417, 441, 445–447, 473, 515, 599, 636
 - dimension, 376, 599
 - orthogonal complement, 97, 373, 441, 599, 636
 - hollow, 48, 376, 447, 636
 - dimension, 49, 376
 - independence, 32, 631
 - intersection, 73
 - hyperplane, 70
 - nullspace basis span, 70
 - parallel, 33
 - proper, 32, 48, 49, 125, 149, 153, 443, 606
 - representation, 69
 - smallest, face, 98
 - symmetric, 46
 - tangent, 96
 - translation invariant, 373, 377, 441, 599, 636
 - trivial, *see* subspace, $\mathbf{0}$
 - vectorization, 73
- successive
 - approximation, 614
 - projection, 614
- sufficient, 632
- sum, 40, 634
 - empty, 634
 - Minkowski, 40
 - of eigenvalues, 44, 487, 495, 539, 540
 - of extremes, 87
 - of functions, 171, 197, 220, 221
 - of matrices
 - eigenvalues, 499
 - nullspace, 73
 - rank, 107, 495, 496
 - of singular values, 44, 56, 536, 537
 - Pythagorean, 528, 529
- vector, 40, 520, 631
 - of cones, 81, 130
 - orthogonal, 130, 606, 632
 - unique, 47, 122, 520, 631, 632
- superset, 631
- supremum, 51, 535, 641, *see* maximum
 - of affine functions, 185, 186, 536, 538
 - of convex functions, 185, 191, 220
 - of quasiconvex functions, 221
 - supporting hyperplane, 65–67, 603
- surjection, 639, *see* surjective
- surjective, 45, 375, 377, 379, 465, 638, 639
 - linear, 379, 380, 392, 393
- SVD, *see* singular value decomposition
- svec, 47, 224, 642
- Swiss roll, 25
- Sylvester, 496, 520
- symmetry, 344
 - T –, 629
- tangent
 - cone, 430
 - hyperplane, 67, 199–201
 - line, 37, 38, 361, 362, 557
 - subspace, 96
- Tanner, 277
- Tarazaga, 417, 422, 428, 478
- taxicab, *see* distance, 1-norm
- Taylor series, 202, 203, 475, 556, 558–564, 571
- tensor, 551–553
- tesseract, 44
- tetrahedron, 120, 283, 412
 - angle inequality, 411
 - regular, 411, 421
- Theobald, 251, 495
- theorem
 - 0 eigenvalues, 513
 - alternating projection, distance, 616
 - alternative, 132–134, 139
 - EDM, 455
 - semidefinite, 232
 - weak, 134
 - Barvinok, 110
 - Bunt-Motzkin, 601
 - Carathéodory, 131, 596
 - compressed sensing, 277, 301
 - cone

- faces, 85
 - intersection, 82
- conic coordinates, 165
- convexity condition, 198
- decomposition
 - dyad, 516
- directional derivative, 558
- discretized membership, 137
- dual cone intersection, 163
- duality
 - strong, 128, 235
 - weak, 127, 233
- EDM, 392
- eigenvalue
 - of difference, 499
 - of sum, 499
 - order, 498
 - zero, 513
- elliptope vertices, 391
- exposed, 88
- extreme existence, 75
- extremes, 87, 88, 119
- Farkas' lemma, 131–134
 - not positive definite, 233
 - positive definite, 232
 - positive semidefinite, 231
- fundamental
 - algebra, 505
 - algebra, linear, 69
 - convex optimization, 223
- generalized inequality and membership, 131
- Geršgorin discs, 105, 106
- gradient monotonicity, 197
- Hahn-Banach, 60, 65, 68
- halfspaces, 61
- Hardy-Littlewood-Pólya, 465
- hypersphere, 391
- inequalities, 465
- intersection, 39
- inverse image, 40, 43
 - closedness, 143
- Klee, 87
- line, 207, 220
- linearly independent dyads, 520
- majorization, 490
- mean value, 561
- Minkowski, 117
- monotone nonnegative sort, 466
- Motzkin, 601
 - transposition, 134
- nonexpansivity, 608
- pointed cones, 82
- positive semidefinite, 493
 - convex subsets, 108
 - matrix sum, 107
 - principal submatrix, 499
 - symmetric, 500
- projection
 - algebraic complement, 607
 - on affine, 585
 - on cone, 605
 - on convex set, 602
 - on PSD geometric intersection, 445
 - on subspace, 42
 - unique minimum-distance, 602
 - via dual cone, 607
 - via normal cone, 602
- projector
 - rank trace, 580, 583
 - semidefinite, 500
- proper-cone boundary, 85
- Pythagorean, 293, 370, 612
- range of dyad sum, 521
- rank
 - affine dimension, 383
 - partitioned matrix, 503
 - Schur-form, 503, 504
 - trace, 580, 583
- real eigenvector, 505
- sparse sampling, 277, 301
- sparsity, 177
- Sylvester, 496, 520
- Tour, 394
- Weyl, 117
 - eigenvalue, 499
 - zero eigenvalues, 513
- thin, *see* matrix
- tight, 345, 640
- Torgerson, 378
- tr, 487, 495, 497, 642
- trace, 184, 487, 536, 537, 567, 642
 - commutative, 495
 - derivative, 207, 568
 - eigenvalues, 487, 495
 - heuristic, 251, 252, 332, 473–475, 537
 - inequality, 497, 498
 - maximization, 441
 - minimization, 251, 252, 332, 359, 473–475, 502, 537
 - nonnegative, 497
 - of product, 43, 488, 489, 495, 497
 - gradient, 567
 - of projection matrix, 580, 583
 - positive semidefinite, 497
 - product, 489, 497
 - rank gap, 473
 - vec, 43, 488, 489
 - zero, 512, 515
- trajectory, 396, 436
 - sensor, 364
- transform
 - cosine, discrete, 278, 303
 - Fourier, 268, 269
 - discrete, 45, 303, 308, 630, 638
 - discrete time, 219
 - inverse discrete, 303, 305
 - Karhunen-Loève, 402
 - Laplace, 212, 213, 269, 270
 - Legendre-Fenchel, 474
 - sparsifying, 301, 303
 - z, 219
- transformation
 - affine, 40, 42, 65, 143
 - function, 197, 220
 - inverse, 42
 - positive semidefinite cone, 93
 - bijective, *see* bijective
 - bilinear, 220
 - congruence, 397, 496
 - coordinate, 419, 420

- rotation, 469, 531
 - injective, *see* injective
 - invertible, 42, 44, 45
 - linear, 32, 41, 64, 112, 574
 - cone, 81, 85, 112, 116, 132, 143, 145
 - cone, dual, 130, 132, 452
 - inverse, 41, 418, 574
 - polyhedron, 112, 116, 132
 - rank-1, 336
 - rigid, 21, 362
 - similarity, 498, 596
 - sign, 500
 - surjective, *see* surjective
 - transitivity
 - face, 76
 - order, 84, 91, 497, 640
 - trefoil, 438, 440, 442
 - triangle, 345
 - inequality, *see* inequality
 - triangulation, 22, 162
 - trigonometry
 - cosine, 42, 353
 - law, 369, 412
 - distance, 369
 - Gram, 350
 - inequality, 346
 - inner product, 42, 353, 369, 370
 - relative angle, 371
 - trilateration, 22, 39
 - tandem, 365
 - unique, 359–361
 - trivial, 640, *see* zero
 - Tucker, 133, 161, 463
-
- U –, 53
 - unbounded below, 68, 71, 72, 133, 221
 - underdetermined, 334, 630
 - unfolding, 438, 443
 - unfurling, 438
 - unimodal, 209
 - unique
 - cone, 90, 122, 418
 - dual, 122, 145
 - direction, extreme, 86
 - EDM, 393, 403, 464
 - eigen
 - value, 102, 505
 - vector, 506
 - expansion, biorthogonal, 147–150, 428, 520, 583, 587, 588
 - generators, 119
 - Gram matrix, 373, 377
 - hull
 - affine, 50
 - convex, 51
 - hyperplane, supporting, 198, 199
 - independence, conic, 111, 115, 150, 151
 - inequality, triangle, 410
 - localization, 22, 255, 256, 360, 362
 - minimizer, 170, 171
 - minimum, 169, 558
 - element, 83, 84, 171, 172
 - projection, 580, 581, 598, 601, 602
 - spectral, 466
 - projector, 581, 582, 599
 - pseudoinverse, 195, 573
 - reconstruction, 346, 359–363, 372, 375, 438
 - solution, 468, 471, 475, 481
 - convex, 170, 171
 - geometry, 39, 362
 - list, 469
 - Procrustes, 541
 - sum, vector, 47, 122, 520, 631, 632
 - SVD, 338, 509
 - trilateration, 359–361
 - unraveling, 438, 440, 442
 - untieing, 440, 442
 - update
 - inverse, 519
 - rank-1, 519
-
- V –, 352
 - value
 - absolute, 173, 174, 203
 - eigen, *see* eigen
 - objective, 233, 243
 - saddle, 127, 129, 225
 - Van Loan, 491
 - variable
 - dual, 125, 161, 162, 167, 633
 - matrix, 63
 - nonnegative, *see* constraint
 - slack, 224, 230, 246
 - variation
 - calculus, 135
 - total, 306
 - vec, 42, 94, 304, 488, 489, 642
 - product, 489
 - trace, 43, 488, 489
 - vector, 32, 639
 - binary, 51, 239, 294, 326, 328, 390, 633, 635
 - difference, 40, 130, 632
 - direction, *see* direction
 - dual, 622
 - entry, *see* entry
 - indices, 629
 - magnitude, 528, 529
 - normal, 61, 601, 624
 - optimization, 83, 84, 171, 172, 272, 306
 - parallel, 584, 585, 587, 588
 - Perron, 397
 - point, 87, 639
 - primal, 622
 - product
 - inner, *see* product, inner
 - outer, *see* matrix, dyad
 - zero, *see* zero, product
 - pseudoinverse, 574
 - quadrature, 112, 374
 - reflection, 528
 - rotation, 105, 374, 375, 527
 - space, 31, 32, 635
 - ambient, 32, 443, 453
 - Euclidean, 343
 - sum, *see* sum
 - vectorization, 42, *see* vec svec & dvec
 - inner product, 42–44, 494
 - Kronecker product, 489

- projection, 432, 593, 594, 599
 - subspace, 73
 - symmetric, 47
 - hollow, 49
 - Venn diagram
 - EDM, 459
 - program class, 226
 - sets, 117
 - vertex, 36, 37, 57, 75, 78, 175, 390
 - description, *see* description
 - elliptope, 238, 390, 391
 - Laurent, 390
 - of cone, 82
 - none, 82, 86, 87, 114, 115, 119, 128
 - polyhedron, 57, 117, 175
 - solution, 68, 178, 225, 226, 238, 284, 292, 356
 - Vetterli, 301
 - volume, *see also* content
 - facet, 412, 413
 - inequality, 413
 - polyhedron, 413
 - pyramid, 414
 - simplex, 413, 414
 - tetrahedron, 413
 - von Neumann, 326, 479, 545, 613, 614, 618
 - Voronoi diagram, 367
 - vortex, 425
- *W* –, 250
- wavelet, 302, 303
 - wedge, 86, 125
 - Weinberger & Saul, 25, 438, 440, 442
 - Wells, 190, 417, 422, 428, 478, 479
 - Weyl, 117, 132, 499
 - wide, *see* matrix
 - Wiener, 614
 - WinEdt, 4
 - wireless location, 21, 254, 261, 366
 - womb, 550
 - Woodbury, 519
 - Wright, 223
 - Wüthrich, 23
- *X* –, 634
- *Y* –, 207
- Yates, 505
 - Ye, 134, 230, 363, 368
 - Youla, 611
 - Young, 27, 462, 464, 486, 538
- *Z* –, 61
- z*, 219
 - transfer function, 219
 - transform, 219
 - Zenodorus, 535
 - zero, 512, 513, 515, 516, 640, *see* origin
 - boundary, 82, 85
 - cone, 82, 85
 - definite, 515, 516
 - diagonal, 512, 575
 - eigenvalue, 513, 518
 - entry, 512, 575
 - function, 171
 - gradient, 135, 194, 598
 - interior, 82, 85
 - matrix, 318
 - norm, *see* 0-norm
 - norm-, 512
 - pad, 243, 510
 - product, 42, 61, 63, 73, 132, 515, 516, 636
 - PSD, 91, 97–101, 235, 515
 - pseudoinverse, 575
 - rank, 97, 109, 227, 228, 252
 - solution, 32, 640
 - subspace, 32, 47, 635, 640
 - trace, 512, 515
 - transfer function, 212
 - Zhang
 - Fuzhen, 492, 493
 - Shuzhong, 516
 - Ziegler, 356
 - Zinoviev, 358
 - Zolotarev, 358